



Compliance with International Codes
 Compliance to State/Regional Codes

www.icc-es.org | (800) 423-6587 | (562) 699-0543

# ICC-ES Evaluation Report ESR-1539

DIVISION: 06 00 00—WOOD, PLASTICS AND COMPOSITES Section: 06 05 23.13—Nails Section: 06 05 23.15—Staples

**REPORT HOLDER:** 

INTERNATIONAL STAPLE, NAIL AND TOOL ASSOCIATION (ISANTA)

# ADDITIONAL LISTEES:

AMERICAN FASTENERS CO. LTD. **BECK AMERICA, INC. BUILDING MATERIAL DISTRIBUTORS, INC.** FALCON FASTENERS REG'D **GEEKAY WIRES LTD. GUNEY CELIK A.S.** HUTTIG BUILDING PRODUCTS **ILLINOIS TOOL WORKS** INMAX GROUP - INMAX SDN. BHD. & INMAX INDUSTRIES SDN. BHD. JAACO CORPORATION KOKI HOLDINGS AMERICA LTD. KYOCERA SENCO INDUSTRIAL TOOLS, INC. **MID-CONTINENT STEEL & WIRE (MID-CONTINENT** NAIL) NATIONAL NAIL CORP. **OMAN FASTENERS, LLC.** PEACE INDUSTRIES PRIMESOURCE BUILDING PRODUCTS SHANGHAI YUEDA NAILS CO., LTD. SPECIALTY FASTENING SYSTEMS, INC.

STANLEY BLACK AND DECKER INC.

# **EVALUATION SUBJECT:**

# POWER-DRIVEN STAPLES AND NAILS

A Subsidiary of the International Code Council®

Reissued July 2020 Revised October 2021 This report is subject to renewal July 2022.

# 1.0 EVALUATION SCOPE

### Compliance with the following codes:

- 2021, 2018, 2015 and 2012 International Building Code<sup>®</sup> (IBC)
- 2021, 2018, 2015 and 2012 International Residential Code<sup>®</sup> (IRC)

For evaluation for compliance with codes adopted by the Los Angeles Department of Building and Safety (LADBS), see the <u>ESR-1539 LABC and LARC Supplement</u>.

# Properties evaluated:

- Bending yield strength
- Compliance with prescriptive requirements of the IBC and IRC.
- Compliance with material requirements, dimensions and tolerances of ASTM F1667.
- Use in diaphragms, shear walls and braced walls.
- Fastening schedules which are alternates to those included in the codes.

### 2.0 USES

The nails and staples described in this report are used for engineered and nonengineered (prescriptive) structural connections.

### 3.0 DESCRIPTION

# 3.1 General:

The fasteners addressed in this report are manufactured by and for the additional listees on this report, which are member companies of the International Staple, Nail and Tool Association (ISANTA). Appendix B of this report lists the fasteners evaluated for each listee.

### 3.2 Staples:

Evaluated staples are manufactured from bright or zinccoated carbon steel wire. Evaluated staples comply with Table 57 of ASTM F1667-20 and have the characteristics shown in the table below. The staples have a minimum crown width of  $^{7}/_{16}$  inch (11.1 mm) and a minimum leg length of  $1^{1}/_{2}$  inches (38 mm). The staples are collated into strips and cohered with polymer coatings. Staple crown widths and leg lengths specified in this report are overall dimensions.

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.



**TABLE 3.2—STAPLE CHARACTERISTICS** 

STAPLE GAGE	NOMINAL WIRE DIAMETER (inch)	NOMINAL STAPLE WIDTH (inch)	MINIMUM BENDING MOMENT (lbfin.)
14	0.080	0.0855	4.3
15	0.0720	0.073	4.0
16	0.0625	0.064	3.6

For **SI:** 1 inch = 25.4 mm; 1 lbf-in = 0.113 N-m.

#### 3.3 Nails:

Evaluated nails are manufactured from bright steel wire, galvanized steel wire, or stainless steel wire. The nails have full round heads or modified round heads, such as offset heads, clipped heads ("D" heads) and notched heads, as shown in Figure 1. Nails have smooth or deformed (threaded) shanks. Deformed shanks may be annularly threaded (ring shank) or helically threaded (screw shank). Dimensional tolerances conform to ASTM F1667.

Nails designated as Metal Hardware Nails (MHN) are primarily intended for use with metal hardware (e.g. joist hangers, strap anchors, etc.), but may also be used in other engineered and prescriptive wood-to-wood or metal-towood connections. They have full round heads and\_smooth or ring shanks.

Nails with coating designated as EG are electrogalvanized in accordance with ASTM A641, Class 1. Nails with coating designated as MG are coated with mechanically deposited zinc complying with ASTM B695, Class 40. Nails with coating designated as HDG are either formed from hot-dip galvanized wire complying with ASTM A641 Class 3S or are hot-dip galvanized after forming in accordance with ASTM A153, Class D. All galvanized nails addressed in this report comply with the requirements of Section 10.1 of ASTM F1667. Corrosion resistance of other coatings addressed in Appendix B of this report is outside the scope of this report, but is addressed in other ICC-ES evaluation reports as noted in Appendix B.

Many nail products addressed in this report are coated with proprietary polymer coatings. These coatings are intended to aid in the driving of nails when used with power tools. The effect of these coatings has been considered in the determination of withdrawal design values for smooth shank nails.

Nails are collated and cohered into strips or coils for loading into a power driving tool. Typical evaluated products are illustrated in Figure 1. Table 1 lists nail sizes addressed in this report. See Appendix B for detailed nail descriptions including bending yield strength for products evaluated for each listee. Nails for each listee having the same diameter, shank type and finish type as those listed in Appendix B, are qualified for any length.

### 3.4 Wood:

Wood members must be as described in the tables in this report. Sawn lumber, glued laminated timber (GL) and cross-laminated timber (CLT) must have an assigned specific gravity (SG) equal to or greater than what is required in the applicable table. Where use of engineered wood products is addressed in tables in this report, the products must have an equivalent specific gravity (ESG) equal to or greater than the SG that is addressed in the table, as shown in the applicable ICC-ES evaluation report for the engineered wood product.

#### 3.5 Steel Side Plates:

Steel side plates must comply with ASTM A653 SS Grade 33 or 40, or with ASTM A36, as indicated in Table 4. The steel must have a minimum base steel thickness as indicated in Table 4. Holes in steel side plates must be predrilled or prepunched to allow for the installation of the nails.

# 4.0 DESIGN AND INSTALLATION

### 4.1 Design for Staples:

**4.1.1 Engineered Connections:** Reference withdrawal design values for staples addressed in this report may be calculated in accordance with Section A2.3 of Appendix A. Reference withdrawal design values for select connections are shown in Table 5. The reference lateral design values for staples addressed in this report may be calculated in accordance with Section A2.2 of Appendix A.

**4.1.2 Engineered Diaphragms and Shear Walls:** The staples addressed in this report may be used in engineered diaphragms and shear walls, in accordance with the diaphragm and shear wall design tables in the IBC and Tables 6 through 10, when the staples comply with the requirements in the applicable table for gage, crown width and leg length. Diaphragm and shear wall deflection must be determined in accordance with Section A3.2.

**4.1.3 Prescriptive Sheathing Attachments:** The staples addressed in this report may be used to attach sheathing to wood framing as prescribed in the code tables referenced in Table 2, when the staples comply with the code requirements for gage, crown width and leg length.

# 4.2 Design for Nails:

**4.2.1 Engineered Connections:** All reference design values must be multiplied by all applicable adjustment factors in accordance with the ANSI/AWC National Design Specification for Wood Construction (NDS).

**4.2.1.1 Reference Lateral Design Values:** The nails addressed in this report comply with the requirements of IBC Section 2303.6 and may be used in lateral connections designed in accordance with the NDS, using the specified minimum bending yield strength and the nominal diameter shown in Appendix B, as applicable. The yield mode equations in the NDS for nails are shown in Section A1.2 of Appendix A to this report. Reference lateral design values for common wood-to-wood connections are shown in Table 3, and reference lateral design values for common metal-side-plate-to-wood connections are shown in Table 4.

**4.2.1.2 Reference Withdrawal Design Values:** The nails addressed in this report may be used in tension connections designed in accordance with the NDS, using the nominal diameter shown in Appendix B, as applicable, and the embedded length of the nail in the holding member. For stainless steel nails, the reference withdrawal design values must be determined in accordance with the 2018 NDS, for use under the 2021, 2018, 2015 and 2012 IBC. Reference withdrawal design values for common wood specific gravities are shown in Table 5. The withdrawal equations in the 2018 NDS for nails are shown in Section A1.3 of Appendix A to this report.

**4.2.1.3 Reference Head Pull-through Design Values:** For nails shown in Appendix B as having round heads, reference head pull-through values must be determined in accordance with Section 12.2.5 of the 2018 NDS, for use under the 2021, 2018, 2015 and 2012 IBC. For nails shown in Appendix B as having other head styles, determination of reference head pull-through design values is outside the scope of this report.

**4.2.2 Prescriptive Framing Connections:** The carbon steel nails may be used for prescriptive framing connections when the nails comply with the requirements in the applicable code for diameter and length. In addition, Tables 11, 12 and 13 show fastening designs for framing connections under the 2021, 2018, 2015 and 2012 IBC and IRC, which are alternatives to what is prescribed in 2021 IBC Table 2304.10.2 (2018 and 2015 IBC Table 2304.10.1, 2012 IBC Table 2304.9.1) and in IRC Table R602.3(1). These alternative fastener designs address the use of carbon steel nails only. The alternative fastener designs shown in Tables 11, 12 and 13 are summarized in Table 14.

**4.2.3 Prescriptive Metal Hardware Connections:** Nails designated as Metal Hardware Nails, as well as other nails described in this report as having full round heads and the applicable dimensions, may be used to attach metal hardware (e.g. joist hangers, foundation anchors) to wood framing members as prescribed in ICC-ES evaluation reports on metal hardware. Use of Metal Hardware Nails in diaphragms and shear walls is outside the scope of this report.

**4.2.4 Engineered Diaphragms and Shear Walls:** The nails may be used in shear walls and diaphragms designed in accordance with the ANSI/AWC Special Design Provisions for Wind and Seismic (SDPWS) and the tables in this report when they are of the required material, shank type, diameter and length indicated in Tables 6 through 9 of this report, and when indicated in Appendix B as meeting the head area requirements for use in lateral force resisting assemblies for the applicable nail size.

Allowable shear values for diaphragms comprised of wood structural panels attached to wood framing are shown in Tables 6 and 7. Design of roof diaphragms must consider uplift due to wind.

Allowable shear values for shear walls comprised of wood structural panels attached directly to wood framing or over gypsum sheathing are shown in Tables 8 and 9. Design of exterior shear walls must also consider transverse (out-ofplane) loads on sheathing due to wind.

Allowable shear values for shear walls comprised of fiberboard sheathing, gypsum lath and plaster, gypsum sheathing, gypsum wallboard, metal or wire lath and plaster, or plywood siding applied directly to wood framing are shown in Table 10.

To determine design shear values for use in LRFD, allowable shear values for shear walls and diaphragms resisting seismic loads must be multiplied by 1.4 (1.6 for the 2018, 2015 and 2012 IBC) and allowable shear values for shear walls and diaphragms resisting wind loads must be multiplied by 1.6.

Diaphragm and shear wall deflection must be determined in accordance with Section A3.1.

**4.2.5 Prescriptive Sheathing Attachments:** Table 2 references the code tables where nails are prescribed for attaching sheathing to framing. Carbon steel nails (bright or galvanized) shown in Appendix B as meeting the head area ratio requirements for use in lateral force resisting assemblies may be used where the same nail types and sizes are prescribed in the referenced code tables.

## 4.3 Installation:

The nails must be installed in accordance with this report, the listee's published installation instructions, the approved plans, if applicable, and the applicable prescriptions in the code.

Nails used with metal hardware (joist hangers, truss plates, etc.) must be installed in accordance with the metal hardware manufacturer's instructions and any applicable ICC-ES evaluation report.

The nails described in this report are packaged for use in power tools. The nails must be installed using a tool recommended by the applicable listee. Individual nails may also be manually driven.

Edge distances, end distances, and spacings must be sufficient to prevent splitting of the wood. Installation into sawn lumber must be in accordance with the applicable requirements of 2018 and 2015 NDS Section 12.1.6 (2012 NDS Section 11.1.6 for the 2012 IBC).

### 4.4 Special Inspection:

Periodic special inspection of nailing used in the construction of main windforce-resisting systems is required by 2021 IBC Section 1705.12.1 (2018 and 2015 IBC Section 1705.11.1, 2012 IBC Section 1705.10.1) when the nail spacing is 4 inches (102 mm) or less. Periodic special inspection of nailing used in the construction of seismic force-resisting systems is required by 2021 IBC Section 1705.13.2 (2018 and 2015 IBC Section 1705.12.2, 2012 IBC Section 1705.11.2) when the nail spacing is 4 inches (102 mm) or less.

#### 4.5 Use in Treated Lumber:

In accordance with 2021 IBC Section 2304.10.6 (2018 and 2015 IBC Section 2304.10.5, 2012 IBC Section 2304.9.5) and IRC Section R317.3, stainless steel (SS) and hot-dip galvanized (HDG) nails listed in Appendix B, may be used in preservative-treated and fire-retardant-treated lumber. Use of nails listed in Appendix B as having a proprietary coating for installation in preservative-treated lumber in specific Exposure Conditions, is addressed in Appendix B or in applicable ICC-ES evaluation reports referenced in Appendix B. Nails and staples listed in Appendix B as bright must not be used in treated lumber. Use of nails and staples with other coatings in treated lumber is outside the scope of this report.

### 5.0 CONDITIONS OF USE

The nails and staples described in this report comply with, or are suitable alternatives to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

- **5.1** The nails and staples must be installed in accordance with this report, the listee's published installation instructions, the approved plans (if applicable), and the applicable prescriptions in the code. In the case of a conflict amongst these documents, the most restrictive requirements govern.
- **5.2** The fastener dimensions specified in the design tables in this report are minimum nominal dimensions. When fasteners larger than those specified are used for any application, consideration must be given to restrictions on edge distance and close spacing.
- **5.3** See Section 4.5 regarding use of staples and nails in treated wood.

**5.4** The nails and staples described in Appendix B of this report are manufactured under quality control programs with inspections by ICC-ES.

### 6.0 EVIDENCE SUBMITTED

- **6.1** Data in accordance with the ICC-ES Acceptance Criteria for Nails (AC116), dated March 2018 (editorially revised February 2021).
- **6.2** Data in accordance with the ICC-ES Acceptance Criteria for Staples (AC201), dated March 2020 (editorially revised December 2020).

# 7.0 IDENTIFICATION

7.1 Packages of nails and staples must be identified with the ISANTA logo shown below or the name of one of the listees identified in this report, the applicable brand name (shown in Appendix B), fastener size (nail diameter and length or staple gage, crown width and length), finish/coating designation, and country of origin. Packages are also identified with the evaluation report number (ESR-1539), and may include the ICC-ES mark of conformity.



7.2 The report holder's contact information is the following:

INTERNATIONAL STAPLE, NAIL AND TOOL ASSOCIATION 8735 WEST HIGGINS ROAD, SUITE 300 CHICAGO, ILLINOIS 60631 (847) 375-6454 www.isanta.org info@isanta.org

**7.3** The Additional Listees' contact information appears in Table B1 of Appendix B.

# ISANTA Logo

#### INDEX TO TABLES, FIGURES AND APPENDICES

Figure No. 1	Title Basic Fastener Styles	Page
Table No.	Title	Page
1	Nail Diameters Addressed in this Report	5
2	Applicable Eastening Schedules in the Codes for Attachment of Sheathing to Framing	6
3	Reference Lateral Design Values of Face Nailed Single Shear Connections of "2-by" Members to Other Members of the Species	Same
4	Reference Lateral Design Values of Face Nailed Single Shear Connections of Steel Side Members to Wood Members	7
5	Nail and Staple Reference Withdrawal Design Values	8
	Horizontal Diaphragm Tables	
6	Allowable Shear for Wind or Seismic Loading for Wood Structural Panel Horizontal Diaphragms - Structural I Sheathing	9
7	Allowable Shear for Wind or Seismic Loading for Wood Structural Panel Horizontal Diaphragms - Rated Sheathing Footnote Explanations for Horizontal Diaphragm Tables 6 and 7	10 11
	Vertical Shear Wall Tables	
8	Allowable Shear for Wind or Seismic Loading for Wood Structural Panel Shear Walls - Structural   Sheathing	12
9	Allowable Shear for Wind or Seismic Loading for Wood Structural Panel Shear Walls - Rated Sheathing	13
	Footnote Explanations for Shear Wall Tables 8 and 9	14
10	Allowable Shear for Wind or Seismic Loading for Shear Walls with Fiberboard Sheathing, Gypsum Lath, Gypsum Sheat Gypsum Wallboard, Lath and Plaster or Plywood Siding Over Wood Framing	hing, 15
	Fastening Schedule for Framing Connections	
11	Fastening Schedule – Wall Framing	16
12	Fastening Schedule – Ceiling and Roof Framing	20
13	Fastening Schedule – Floor Framing	23
14	Summary of Alternative Fastening Designs Described in Table 11 through 13	25
Appendix	Title	age No.
A	Reference Design Information	
В	Evaluated Fasteners by Listee	31



#### FIGURE 1—BASIC FASTENER STYLES

	DESC		STM F1667		OTHE	RS
SHANK DIAMETER (inch)	TYPE AND PENNYWEIGHT	LENGTH (inches)	HEAD DIAMETER (inch)	SHANK STYLE	COMMONLY AVAILABLE LENGTHS (inches)	SHANK STYLES
0.092	6d cooler	1 <sup>7</sup> /8	0.250	Smooth, Ring, Screw	$\begin{array}{c} 1^{1}/_{4},1^{1}/_{2},1^{5}/_{8},\\ 1^{3}/_{4},2,2^{1}/_{8},\\ 2^{3}/_{16},2^{1}/_{4},\\ 2^{3}/_{8},2^{1}/_{2} \end{array}$	Smooth, Ring, Screw
0.099	6d box	2	0.266	Smooth	$\begin{array}{c} 1^{1} /_{8},  1^{1} /_{2},  1^{3} /_{4}, \\ 1^{7} /_{8},  2,  2^{1} /_{4}, \\ 2^{3} /_{8} \end{array}$	Smooth, Ring, Screw
	6d common	2	0.266		0.01/ 03/	Smooth,
0.113	8d box	2 <sup>1</sup> / <sub>2</sub>	0.297	Smooth	$2, 2^{1}/_{4}, 2^{3}/_{8}, 2^{1}/_{2}$	Ring,
	8d cooler	2 <sup>3</sup> / <sub>8</sub>	0.281		2 12	Screw
0.120	-	-	-	-	$\begin{array}{c} 2,  2^{1/_4},  2^{3/_8}, \\ 2^{1/_2},  2^{3/_4},  3, \\ 3^{1/_4},  3^{1/_2},  3^{3/_4}, \\ 4 \end{array}$	Smooth, Ring, Screw
	8d common	2 <sup>1</sup> / <sub>2</sub>	0.281	Smooth	4	
0.131	Metal Hardware <sup>2</sup>	$\begin{array}{c} 1^{1/_{4}},1^{1/_{2}},\\ 2^{1/_{4}},2^{3/_{8}},\\ 2^{1/_{2}} \end{array}$	0.281	Smooth, Ring	$\begin{array}{c} 2, 2^{1/4}, 2^{3/8}, \\ 2^{1/2}, 2^{3/4}, 3, \\ 3^{1/4}, 3^{3/8}, 3^{1/2}, \\ 3^{3/4}, 4 \end{array}$	Smooth, Ring, Screw
0.135	16d box	31/2	0.344	Smooth	2 <sup>3</sup> / <sub>8</sub> , 2 <sup>1</sup> / <sub>2</sub> , 3 <sup>1</sup> / <sub>2</sub>	Ring, Screw
	10d common	3	0.312	Craceth		
	12d common	3 <sup>1</sup> / <sub>4</sub>	0.312	Smooth	2, 2 <sup>1</sup> / <sub>8</sub> , 2 <sup>1</sup> / <sub>4</sub> ,	Smooth,
0.148	Metal Hardware <sup>2</sup>	$1^{1}/_{4}, 1^{1}/_{2}, 2^{1}/_{2}, 3, 3^{1}/_{2},$	0.281	Smooth, Ring	2 <sup>3</sup> / <sub>8</sub> , 2 <sup>1</sup> / <sub>2</sub> , 3, 3 <sup>1</sup> / <sub>4</sub> , 3 <sup>1</sup> / <sub>2</sub> , 4	Ring, Screw
	16d common	3 <sup>1</sup> / <sub>2</sub>	0.344	Smooth		Smooth,
0.162	Metal Hardware <sup>2</sup>	2 <sup>1</sup> / <sub>2</sub> , 3, 3 <sup>1</sup> / <sub>2</sub>	0.281	Smooth, Ring	3, 3 <sup>1</sup> / <sub>4</sub> , 3 <sup>1</sup> / <sub>2</sub> , 4	Ring, Screw
0.180	-	-	-	-	5 <sup>3</sup> /8	Smooth
0.197	_	-	_	-	5 <sup>3</sup> /8	Smooth

#### TABLE 1—NAIL DIAMETERS ADDRESSED IN THIS REPORT<sup>1</sup>

For **SI:** 1 inch = 25.4 mm.

<sup>1</sup>See Appendix B for evaluated nail products for each listee.

<sup>2</sup>Nails intended for use with metal hardware such as joist hangers. See Appendix B of this report for associated designations on product labels.

TABLE 2—APPLICABLE FASTENING SCHEDULES IN THE CODES FOR
ATTACHMENT OF SHEATHING TO FRAMING

CONSTRUCTION	CODE	TABLE NUMBER				
	2021 IBC	2304.10.2				
Deef Cheething Attachment	2018 and 2015 IBC	2304.10.1				
Roor Sneathing Attachment	2012 IBC	2304.9.1				
	2021, 2018, 2015 and 2012 IRC	R602.3(1), R602.3(2)				
	2021 IBC	2304.10.2				
	2018 and 2015 IBC	2304.10.1				
wall Sheathing Attachment	2012 IBC	2304.9.1				
	2021, 2018, 2015 and 2012 IRC	R602.3(1), R602.3(2), R602.3(3)				
	2021 IBC	2304.10.2				
Flags Charthing Attacks ant	2018 and 2015 IBC	2304.10.1				
Floor Sheatning Attachment	2012 IBC	2304.9.1				
	2021, 2018, 2015 and 2012 IRC	R602.3(1), R602.3(2)				

# TABLE 3—REFERENCE LATERAL DESIGN VALUES OF FACE NAILED SINGLE SHEAR CONNECTIONS OF "2-BY" MEMBERS TO OTHER MEMBERS OF SAME SPECIES<sup>1,2,3,4,5,6</sup>

NAIL D	DIMENSIONS	REFERENCE LA	TERAL DESIGN VALU	JES FOR SPECIFIC GR	AVITIES OF: (lbf)
Length (inches)	Nail Shank Diameter (inches)	0.42 (e.g., Spruce- pine-fir)	0.43 (e.g., Hem-fir)	0.50 (e.g., Douglas Fir-Iarch)	0.55 (e.g., Southern Pine)
<b>3</b> <sup>1</sup> / <sub>2</sub>	0.162	120	122	141	154
31/4	0.148	100	102	118	128
3	0.148	100	102	118	128
3 <sup>1</sup> / <sub>2</sub>	0.135	88	89	103	113
3 <sup>1</sup> / <sub>4</sub>	0.131	82	84	97	106
3	0.131	82	84	97	106
2 <sup>1</sup> / <sub>2</sub>	0.131	63	64	74	81
3 <sup>1</sup> / <sub>4</sub>	0.120	69	71	81	89
3	0.120	69	71	81	89
2 <sup>1</sup> / <sub>2</sub>	0.113	54	56	64	70
2 <sup>3</sup> / <sub>8</sub>	0.113	47	49	56	61
2 <sup>1</sup> / <sub>4</sub>	0.099	36	36	42	46

For **SI:** 1 inch = 25.4 mm, 1 lbf = 4.45N, 1 psi = 6.89 kPa.

<sup>1</sup>Design values are based on a normal load duration.

<sup>2</sup>Table values must be multiplied by all applicable adjustment factors in the NDS.

<sup>3</sup>Table is based upon a 1<sup>1</sup>/<sub>2</sub>-inch actual thickness of both attached member and receiving ("main") member.

<sup>4</sup>Design values are for connections in which the nail shank is driven into the side grain with shank axis perpendicular to wood fibers. Tabulated values are based on a minimum fastener bending yield strength ( $F_{yb}$ ) of 100,000 psi for nail diameters of 0.135 inch or less, and a minimum fastener bending yield strength ( $F_{yb}$ ) of 90,000 psi for nail diameters of 0.148 and 0.162 inch.

<sup>5</sup>Calculations are based on a connection in which both members have the same specific gravity.

<sup>6</sup>Reference lateral design values apply to nails with either a smooth shank or a deformed shank.

# TABLE 4—REFERENCE LATERAL DESIGN VALUES OF FACE NAILED SINGLE SHEAR CONNECTIONS OF STEEL SIDE MEMBERS TO WOOD MEMBERS<sup>1,2,3,4</sup>

	REFERENCE LATERAL DESIGN VALUES FOR SPECIFIC GRAVITIES <sup>5</sup> OF: (lbf)														
	0	.42 (e.g	., Sprue	ce-pine	-fir)	0.	50 (e.g.,	Dougla	as Fir-la	arch)	C	).55 (e.g	., Sout	hern Pi	ne)
STEEL SIDE		Nail D	Diamete	r (inch)	)		Nail D	iamete	er (inch)		Nail Diameter (inch)				
	0.1	131	0.1	48	0.162	0.1	131	0.1	48	0.162	0.131		0.148		0.162
(inch)		Nail L	ength (	(inches)		Nail Length (inches)				)	Nail Length (inches)				
	1 <sup>1</sup> /2	2 <sup>1</sup> /4, 2 <sup>3</sup> /8, 2 <sup>1</sup> /2	1 <sup>1</sup> /2	2 <sup>1</sup> / <sub>2,</sub> 3, 3 <sup>1</sup> / <sub>2</sub>	2 <sup>1</sup> / <sub>2</sub> , 3, 3 <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> /2	2 <sup>1</sup> /4, 2 <sup>3</sup> /8, 2 <sup>1</sup> /2	1 <sup>1</sup> /2	2 <sup>1</sup> / <sub>2,</sub> 3, 3 <sup>1</sup> / <sub>2</sub>	2 <sup>1</sup> / <sub>2</sub> , 3, 3 <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> /2	2 <sup>1</sup> /4, 2 <sup>3</sup> /8, 2 <sup>1</sup> /2	1 <sup>1</sup> /2	2 <sup>1</sup> / <sub>2,</sub> 3, 3 <sup>1</sup> / <sub>2</sub>	2 <sup>1</sup> / <sub>2</sub> , 3, 3 <sup>1</sup> / <sub>2</sub>
		•		A	ASTM A6	53, Gra	de 33 Si	teel Sid	le Plate						
0.033 - 0.036	82	82	97	97	117	94	94	112	113	136	102	102	122	123	147
0.044 - 0.048	83	83	97	98	117	95	95	112	114	136	102	102	122	124	148
0.055 - 0.060	84	84	97	99	118	96	96	113	115	138	104	104	122	125	149
0.068 - 0.075	86	86	98	102	121	98	98	114	118	140	106	106	123	127	151
0.097 - 0.105	93	93	103	108	127	105	105	118	125	147	113	113	128	135	159
0.127 - 0.134	102	102	109	118	137	115	115	126	135	157	124	124	135	146	170
0.171 - 0.179	116	116	123	137	157	132	132	138	154	177	142	142	149	166	190
0.228 - 0.240	111	116	119	140	168	127	132	137	160	192	138	144	148	174	209
				A	STM A6	53, Gra	de 40 Si	eel Sid	le Plate						
0.033 - 0.036	83	83	97	98	117	95	95	113	114	137	103	103	123	124	149
0.044 - 0.048	84	84	98	99	118	96	96	114	116	138	104	104	123	125	150
0.055 - 0.060	86	86	99	101	120	98	98	115	117	141	106	106	124	127	151
0.068 - 0.075	89	89	101	104	123	101	101	117	121	144	109	109	126	130	155
0.097 - 0.105	97	97	107	113	132	110	110	123	130	155	118	118	133	140	164
0.127 - 0.134	108	108	115	124	143	122	122	133	143	168	131	131	143	154	178
0.171 - 0.179	116	116	127	141	167	133	133	145	161	193	145	145	157	175	203
0.228 - 0.240	112	116	120	141	169	128	133	137	161	193	139	145	149	175	210
					AST	M A36,	Steel S	ide Pla	te						
0.250	111	117	117	139	169	128	134	137	162	194	139	145	157	186	222

For **SI:** 1 inch = 25.4 mm, 1 lbf = 4.45N, 1 psi = 6.89 kPa.

<sup>1</sup>Design values are for normal load duration and must be multiplied by all applicable adjustment factors in the NDS.

<sup>2</sup>The tabulated values have been calculated in accordance with the Yield Mode Equations in Appendix A1.2. Dowel bearing strengths (Fes) used to calculate design values are 61,850 psi for ASTM A653, Grade 33; 75,600 psi for ASTM A653 Grade 40; and 87,000 psi for ASTM A36 side member material.

<sup>3</sup>Lateral design values are based on  $F_{yb}$  = 100,000 psi for 0.131-inch diameter nails; and  $F_{yb}$  = 90,000 psi for 0.148 and 0.162-inch diameter nails.

<sup>4</sup>Wood member must be of sufficient thickness for the nail point to be fully embedded in the wood.

<sup>5</sup>Specific Gravity values must be the assigned specific gravity from Table A or NDS Table 12.3.3A (2012 NDS Table 11.3.3A for the 2012 IBC) or the equivalent specific gravity for engineered wood products, as shown in an ICC-ES evaluation report.

<sup>6</sup>These thicknesses are base metal thicknesses and are based on typical steel thicknesses described in various ICC-ES evaluation reports for metal hardware and on the thicknesses addressed in Table 12P of the 2018 and 2015 NDS.

0050/510	SMO	IA HTOC	ND DEFC	ORMED⁵ ALVANIZ	SHANK ED), DIA		N STEEL IN INCH	NAILS ES	(BRIGH	r or	SMOOTH AND DEFORMED <sup>5</sup> SHANK STAINLESS STEEL NAILS, DIAMETER IN INCHES							AILS,	STAPLE GAGE AND DIAMETER <sup>6</sup> , in inches		
GRAVITY <sup>4</sup>																			16	15	14
	0.092	0.099	0.113	0.120	0.131	0.135	0.148	0.162	0.180	0.197	0.092	0.099	0.113	0.120	0.131	0.135	0.148	0.162	gage	gage	gage
0.04	7	7	0	0	10	10	44	40	40	45	7	0	0	10	44	44	40	40	0.063	0.072	0.080
0.31	/	1	8	9	10	10	11	12	13	15	1	8	9	10	11	11	12	13	9	11	12
0.35	9	10	11	12	13	14	15	16	18	20	9	10	11	12	13	13	14	16	13	14	16
0.36	10	10	12	13	14	14	16	1/	19	21	9	10	11	12	13	14	15	16	13	15	1/
0.37	11	11	13	14	15	16	1/	19	21	23	10	10	12	13	14	14	15	17	14	17	18
0.38	11	12	14	15	16	17	18	20	22	24	10	11	12	13	14	15	16	18	15	18	20
0.39	12	13	15	16	17	18	19	21	24	26	10	11	13	14	15	15	17	18	16	19	21
0.40	13	14	16	17	18	19	21	23	25	28	11	12	13	14	15	16	17	19	17	20	22
0.41	14	14	17	18	19	20	22	24	27	29	11	12	14	15	16	16	18	20	19	21	24
0.42	15	15	18	19	21	21	23	26	28	31	12	13	14	15	17	17	19	21	20	23	25
0.43	15	16	19	20	22	23	25	27	30	33	12	13	15	16	17	18	19	21	21	24	27
0.44	16	17	20	21	23	24	26	29	32	35	12	13	15	16	18	18	20	22	22	26	28
0.46	18	19	22	24	26	27	29	32	36	39	13	14	16	17	19	20	21	24	25	29	32
0.47	19	20	24	25	27	28	31	34	38	41	14	15	17	18	20	20	22	24	26	30	33
0.49	21	22	26	28	30	31	34	38	42	46	15	16	18	19	21	22	24	26	29	33	37
0.50	22	24	28	29	32	33	36	40	44	48	15	16	19	20	22	22	24	27	30	35	39
0.51	24	25	29	31	34	35	38	42	46	50	16	17	19	20	22	23	25	27	32	37	41
0.55	28	30	35	37	41	42	46	50	56	61	17	19	21	23	25	26	28	31	39	45	50
0.58	33	34	40	42	46	48	52	57	64	70	19	20	23	25	27	28	30	33	44	51	57
0.67	47	49	57	61	66	68	75	82	91	100	23	25	29	31	33	34	38	41	63	73	81
0.68	48	51	59	63	69	71	78	85	95	104	24	26	29	31	34	35	39	42	66	76	84
0.71	54	57	66	70	77	79	87	95	106	115	26	28	31	33	36	38	41	45	73	84	94
0.73	58	61	71	75	82	85	93	102	113	124	27	29	33	35	38	39	43	47	79	90	101

#### TABLE 5—NAIL AND STAPLE REFERENCE WITHDRAWAL DESIGN VALUES<sup>1,2,3</sup> (pounds-force per inch of penetration)

For SI: 1 inch = 25.4 mm, 1 pound-force per inch = 0.175 N/mm.

<sup>1</sup>Design values are based on a normal (10 year) duration of load.

<sup>2</sup>Table values must be multiplied by all applicable adjustment factors in the NDS.

<sup>3</sup>Withdrawal strengths are for fasteners driven perpendicular to the grain.

<sup>4</sup>Specific Gravity values must be the assigned specific gravity from Table A or NDS Table 12.3.3A (2012 NDS Table 11.3.3A for the 2012 IBC) or the equivalent specific gravity for engineered wood products, as shown in an ICC-ES evaluation report.

<sup>5</sup>Applies to deformed nails addressed in this report.

<sup>6</sup>Values account for both staple legs.

# TABLE 6—ALLOWABLE SHEAR FOR WIND OR SEISMIC LOADING FOR WOOD STRUCTURAL PANEL HORIZONTAL DIAPHRAGMS WITH FRAMING OF DOUGLAS FIR-LARCH OR SOUTHERN PINE AND STRUCTURAL I SHEATHING (plf)<sup>1,2,3,4,5,6,7,8,9</sup>

NOMINAL NAIL					В		IAPHRAGM	S			UNBLOCKED DIAPHRAGMS					
DIAMETER (inch) or STAPLE GAGE	MINIMUM REQUIRED	MINIMUM WIDTH OF	FAST	ENER SPA DUS PANE	CING (inch) L EDGES P/	AT DIAPH ARALLEL EDGES (C	RAGM BOU TO LOAD (C ASES 5 & 6)	NDARIES ASES 3, 4)	(ALL CASES ), AND AT A	S), AT LL PANEL	FASTENERS SPACED 6" MAX. AT DIAPHRAGM BOUNDARIES AND ALL SUPPORTED EDGES					
Nails must be smooth	FASTENER	FRAMING	6	;	4	ļ	2 <sup>1</sup>	12	2	2			All o	ther		
or deformed, and must	(inches)	(inches)		Nai	spacing at	other panel	el edges (Ca	ises 1, 2, 3	& 4)		Cas	e 1	(Cases 2, 3, 4,			
or galvanized).		. ,	6		6	6	4		3	3			58	. 6)		
			Seismic	Wind	Seismic	Wind	Seismic	Wind	Seismic	Wind	Seismic	Wind	Seismic	Wind		
<sup>3</sup> / <sub>8</sub> -inch Nominal Panel Thickness																
0.131	1 <sup>3</sup> /4	2 3	270 300	375 420	360 400	505 560	530 600	740 840	600 675	840 945	240 265	335 370	180 200	255 280		
0.120	1 <sup>3</sup> /4	2 3	230 255	320 360	305 340	435 480	455 510	635 720	515 580	720 810	200 225	290 320	150 170	220 240		
0.113	1 <sup>3</sup> / <sub>4</sub>	2 3	205 230	290 325	275 305	390 430	410 460	570 645	465 520	645 725	180 205	260 285	135 155	200 215		
14, 15, 16 Gage	1 <sup>1</sup> / <sub>2</sub> Leg Length	2 3	175 200	245 280	235 265	330 370	350 395	490 550	400 450	560 630	155 175	215 245	115 130	160 180		
	•	•		<sup>15</sup> / <sub>32</sub> -i	nch Nomina	al Panel T	hickness									
0.148 smooth	2	2 3	320 360	445 505	425 480	595 670	640 720	895 1005	730 820	1025 1150	285 320	400 445	215 240	300 335		
0.135	2	2 3	285 320	395 450	380 430	530 595	570 640	795 895	650 730	910 1020	255 285	355 395	195 215	270 300		
0.131	2	2 3	270 305	375 425	360 405	505 565	540 605	755 845	610 685	865 970	240 270	340 375	180 200	255 285		
0.120	2	2 3	230 260	325 370	310 350	435 490	465 520	650 730	525 590	745 835	205 230	290 325	155 175	220 245		
0.113	2	2 3	210 235	295 335	280 315	395 440	420 470	590 660	475 535	675 755	185 210	265 295	140 155	200 220		
14, 15, 16 Gage	1 <sup>1</sup> / <sub>2</sub> Leg Length	2 3	175 200	245 280	235 265	330 370	350 395	490 550	400 450	560 630	155 175	215 245	120 130	160 180		

See page 11 for footnote explanations and case diagrams.

# Page 10 of 46

# TABLE 7—ALLOWABLE SHEAR FOR WIND OR SEISMIC LOADING FOR WOOD STRUCTURAL PANEL HORIZONTAL DIAPHRAGMS WITH FRAMING OF DOUGLAS FIR-LARCH OR SOUTHERN PINE AND RATED SHEATHING (plf)<sup>1,2,3,4,5,6,7,8,9</sup>

					I		UNBLOCKED DIAPHRAGMS								
NOMINAL NAIL DIAMETER (inch) or STAPLE GAGE	MINIMUM REQUIRED	MINIMUM WIDTH OF	FASTENE PANEL ED	R SPACING GES PARAL	i (inch) AT DI LEL TO LOA	APHRAGM	BOUNDARIE , 4), AND AT	S (ALL CAS ALL PANEL	ES), AT CON . EDGES (CA	ITINUOUS ASES 5 & 6)	FAST DIAPHF	ENERS SP RAGM BOU SUPPORT	ACED 6" M/ NDARIES A ED EDGES	ACED 6" MAX. AT NDARIES AND ALL ED EDGES	
Nails must be smooth or	FASTENER			6	4	4 2 <sup>1</sup> / <sub>2</sub> 2							All c	other	
deformed and must be carbon	(inches)	(inches)		N	lail spacing a	t other pane	el edges (Ca	ses 1, 2, 3 &	4)		Cas	se 1	Configu (Cases	17ations 2. 3. 4.	
steel (bright or galvanized).				6		6		4	:	3		-	5 8	£ 6)	
			Seismic	Wind	Seismic	Wind	Seismic	Wind	Seismic	Wind	Seismic	Wind	Seismic	Wind	
				<sup>3</sup> /8-i	inch Nomina	Panel Thick	iness		-			-			
0.131	1 <sup>3</sup> / <sub>4</sub>	2 3	240 270	335 375	320 360	445 505	480 540	670 755	545 610	760 855	215 240	300 335	160 180	225 250	
0.120	13/4	2 3	205 230	285 315	270 305	375 425	405 455	565 640	460 515	640 720	180 205	255 285	135 150	190 210	
0.113	1 <sup>3</sup> / <sub>4</sub>	2 3	180 205	255 285	240 270	335 380	360 405	505 570	410 460	575 645	160 180	225 255	120 135	170 190	
14, 15,16 Gage	1 <sup>1</sup> / <sub>2</sub> Leg Length	2 3	160 180	225 250	210 235	295 330	315 355	440 495	360 400	505 560	140 160	195 225	105 120	145 170	
				7/ <sub>16</sub> -	inch Nomina	I Panel Thic	kness								
0.131	2	2 3	255 285	360 400	340 380	475 530	505 570	705 800	575 645	805 900	230 255	320 355	170 190	235 265	
0.120	2	2 3	215 240	305 340	290 325	405 450	430 485	600 680	490 550	685 765	190 215	270 300	145 160	200 225	
0.113	2	2 3	195 215	275 305	260 290	360 405	385 435	540 610	440 490	615 685	175 195	245 270	130 145	180 200	
14, 15, 16 Gage	11/2 Leg Length	2 3	165 190	230 265	225 250	315 350	335 375	470 525	380 425	530 595	150 165	210 230	110 125	155 175	
				<sup>15</sup> / <sub>32</sub> .	-inch Nomina	I Panel Thic	kness								
0.148	2	2 3	290 325	405 455	385 430	540 605	575 650	805 910	655 735	920 1030	255 290	360 405	190 215	265 300	
0.135	2	2 3	255 285	355 400	340 380	475 530	505 575	710 800	580 650	810 910	225 255	315 355	170 190	235 265	
0.131	2	2 3	270 300	380 420	360 400	505 560	530 600	740 840	600 675	840 945	240 265	335 370	180 200	255 280	
0.120	2	2 3	230 255	325 360	305 340	430 480	450 510	630 715	510 575	715 805	205 225	285 315	155 170	220 240	
0.113	2	2 3	205 230	290 320	275 305	385 430	405 460	570 645	460 520	645 725	185 205	255 285	140 155	195 215	
14, 15, 16 Gage	1 <sup>1</sup> / <sub>2</sub> Leg Length	2 3	160 180	225 250	210 235	295 330	315 355	440 495	360 405	505 565	140 160	195 225	105 120	145 170	
				<sup>19</sup> / <sub>32</sub> -i	inch Nominal	Panel Thick	ness <sup>10</sup>		-			-			
0.148	21/4	2 3	320 360	445 505	425 480	595 675	640 720	895 1010	730 820	1025 1150	285 320	400 445	215 240	300 335	
0.135	21/4	2 3	285 320	395 450	375 425	525 595	565 640	795 895	645 725	905 1020	255 285	355 395	190 215	265 295	
0.131	21/4	2 3	270 305	375 425	360 405	500 565	540 605	755 850	615 690	860 965	240 270	335 375	180 200	255 285	
0.120	21/4	2 3	235 260	325 365	310 350	435 490	465 525	650 735	530 595	745 835	205 235	290 325	155 175	220 245	
0.113	21/4	2 3	210 240	295 335	280 315	395 445	420 475	590 665	480 540	675 760	190 210	265 295	140 160	200 220	
14, 15, 16 Gage	1 <sup>1</sup> / <sub>2</sub> Leg Length	2 3	175 200	245 280	235 265	330 370	350 395	490 555	400 450	560 630	155 175	215 245	115 130	160 180	

See <u>page 11</u> for footnote explanations and case diagrams.

#### FOOTNOTE EXPLANATIONS FOR HORIZONTAL DIAPHRAGM TABLES 6 AND 7

<sup>1</sup>For **SI:** 1 inch = 25.4 mm, 1 plf = 14.6 N/m.

<sup>2</sup>Diaphragm construction using nails must be in accordance with Sections 4.2.7 and 4.2.8 of the 2021 ANSI/AWC Special Design Provisions for Wind and Seismic (SPDWS) (Sections 4.2.6. and 4.2.7 of the 2015 and 2008 SDPWS for the 2018, 2015 and 2012 IBC), and diaphragm construction using staples must be in accordance with 2021, 2018 and 2015 IBC Tables 2306.2(1) and 2306.2(2) (similar for earlier codes), as applicable.

<sup>3</sup>Tabulated values are for short-time loading due to wind or seismic. The tabulated seismic values must be reduced by 37 percent and 44 percent for normal and permanent load duration, respectively.

<sup>4</sup>The tabulated values are for fasteners installed in Douglas Fir-larch or Southern Pine framing. For framing of other species: (1) Find the assigned specific gravity for the applicable species of lumber (see Section A1.3). (2) For staples find the shear value from Table 6 (regardless of actual sheathing grade) and multiply the value by 0.82 for species with specific gravity of 0.42 or greater, or by 0.65 for all other species. (3) For nails find the shear value from the applicable table and multiply value by the Specific Gravity Adjustment Factor = [1 - (0.5 - G)], where G = Specific Gravity of the framing lumber. This adjustment factor must not be greater than 1.

<sup>5</sup>Diaphragm deflection must be determined in accordance with Section A3.0.

<sup>6</sup>Structural I panels must comply with DOC PS1 or PS2. Rated Sheathing includes Sheathing and Single-Floor grades and must comply with DOC PS1 or PS2.

<sup>7</sup>Nails must be bright or galvanized carbon steel, flat head nails denoted in Appendix B as meeting the head area ratio requirements for lateral force resisting assemblies. A deformed shank nail must have either a helical (screw) shank or an annular (ring) shank. Diaphragm values for stainless steel nails are outside the scope of this report.

<sup>8</sup>Staples must have a <sup>7</sup>/<sub>16</sub>-inch minimum crown width and must be installed with their crowns parallel to the long dimension of the framing members and must be driven flush with the surface of the sheathing.

<sup>9</sup>Space fasteners maximum 12" o.c. along intermediate framing members (6 in. o.c. when supports are spaced 48 inches o.c.).

<sup>10</sup>Tabulated values apply to wood structural panels up to  $1^{1}/_{8}$ " in thickness, provided the nail penetration is at least  $1^{1}/_{2}$  inches and the staple penetration is at least 1 inch.



Continuous Panel Joints Perpendicular to Framing Long Panel Direction Perpendicular to Support



Continuous Panel Joints Perpendicular to Framing Long Panel Direction Parallel to Supports



Continuous Panel Joints Parallel to Framing Long Panel Direction Perpendicular to Supports



Continuous Panel Joints Parallel to Framing Long Panel Direction Parallel to Supports



Continuous Panel Joints Perpendicular and Parallel To Framing Long Panel Direction Perpendicular to Supports





CASE DIAGRAMS FOR HORIZONTAL DIAPHRAGM TABLE 6 (Similar for Table 7, except no blocking)

# TABLE 8—ALLOWABLE SHEAR FOR WIND OR SEISMIC LOADING FOR WOOD STRUCTURAL PANEL SHEAR WALLS WITH FRAMING OF DOUGLAS FIR-LARCH OR SOUTHERN PINE AND STRUCTURAL I SHEATHING (plf)<sup>1,2,3,4,5,6,7,8,9,10,11</sup>

NOMINAL NAIL DIAMETER (inch) or	MINIMUM FAST LENGTH	NOMINAL ENER I (inches)		SEI	SMIC			wi	ND	
STAPLE GAGE		Panels	Fastener	Spacing at	Panel Edge	s (inches)	Fastener	Spacing at	Panel Edge	s (inches)
Nails must be smooth and must be carbon steel (bright or galvanized)	Panels Applied Directly to Framing	Over <sup>1</sup> / <sub>2</sub> inch or <sup>5</sup> / <sub>8</sub> inch Gypsum Sheathing	6	4	3	2	6	4	3	2
	1		<sup>3</sup> / <sub>8</sub> -inch No	minal Pane	l Thicknes	s				
0 148	2	—	230	360	460	610	320	505	645	855
0.140	_	2 <sup>1</sup> / <sub>2</sub>	280	430	550	730	390	600	770	1020
0.135	2	—	230	360	460	610	320	505	645	855
	—	2 <sup>1</sup> / <sub>2</sub>	250	380	485	645	345	530	680	900
0.131	1 <sup>3</sup> /4	_	230	360	460	610	320	505	645	855
	—	2 <sup>1</sup> / <sub>2</sub>	235	360	460	610	330	505	645	855
0.120	1 <sup>3</sup> / <sub>4</sub>	—	200	310	395	520	275	435	550	730
	—	2 <sup>1</sup> / <sub>2</sub>	200	310	395	520	280	430	550	725
0.113	1 <sup>3</sup> /4	_	180	280	355	470	245	390	495	655
	—	2 <sup>1</sup> / <sub>2</sub>	180	275	355	470	250	385	495	655
14, 15, 16 Gage	1 <sup>1</sup> / <sub>2</sub>	—	155	235	315	400	215	330	440	560
14, 15, 16 Gage	—	2	155	235	310	400	215	330	435	560
	1	7	//16-inch No	minal Pane	el Thicknes	s	T	1	r	
0.148	2	—	260	395	505	670	355	550	705	935
	—	2 <sup>1</sup> / <sub>2</sub>	280	430	550	730	390	600	770	1020
0.135	2	—	260	395	505	670	355	550	705	935
	—	2 <sup>1</sup> / <sub>2</sub>	250	385	490	650	345	535	685	905
0 131	2	—	260	395	505	670	355	550	705	935
	—	2 <sup>1</sup> / <sub>2</sub>	235	365	465	615	330	505	650	860
0.120	2	—	225	340	435	580	305	475	610	805
	_	2 <sup>1</sup> / <sub>2</sub>	205	310	400	530	285	435	555	735
0 1 1 3	2	—	205	310	395	520	280	430	550	730
	—	2 <sup>1</sup> / <sub>2</sub>	170	260	330	440	235	360	460	610
14, 15, 16 Gage	1 <sup>1</sup> / <sub>2</sub>	—	170	260	345	440	240	365	485	615
14, 15, 16 Gage	—	2	155	235	310	400	215	330	435	560
	1	1	<sup>5</sup> / <sub>32</sub> -inch No	ominal Pan	el Thicknes	SS	1	1	1	
0.148	2	—	340	510	665	870	475	715	930	1215
	—	2 <sup>1</sup> / <sub>2</sub>	280	430	550	730	390	600	770	1020
0.135	2	_	305	455	590	775	425	635	825	1080
	—	2 <sup>1</sup> / <sub>2</sub>	250	385	490	650	350	535	685	905
0.131	2	—	280	430	550	730	390	600	770	1020
	—	2 <sup>1</sup> / <sub>2</sub>	240	365	465	615	330	505	650	860
0.120	2	—	245	375	475	630	340	520	665	880
	—	2 <sup>1</sup> / <sub>2</sub>	205	315	400	530	285	435	560	740
0.113	2	—	220	340	430	570	305	470	605	800
	—	2 <sup>1</sup> / <sub>2</sub>	185	285	365	480	260	395	510	670
14, 15, 16 Gage	1 <sup>1</sup> / <sub>2</sub>	—	185	280	375	475	260	390	525	665
14, 15, 16 Gage	—	2	155	235	300	400	215	330	420	560

See page 14 for footnote explanations.

# TABLE 9—ALLOWABLE SHEAR FOR WIND OR SEISMIC LOADING FOR WOOD STRUCTURAL PANEL SHEAR WALLS WITH FRAMING OF DOUGLAS FIR-LARCH OR SOUTHERN PINE AND RATED SHEATHING (plf)<sup>1,2,3,4,5,6,7,8,9,10,11</sup>

NOMINAL NAIL DIAMETER (inch) or	MINIMUM FAST LENGTH	NOMINAL ENER I (inches)		SEIS	SMIC			wi	WIND           acing at Panel Edges (inches           4         3         2           445         575         740           530         685         895           445         575         740           530         685         895           445         575         740           465         600         785           445         575         740           420         545         715           375         485         625           355         460         605           420         545         715           315         410         540           295         390         505           295         390         505           295         390         505           490         630         820           445         605         790           490         630         820           440         570         745           415         535         695           375         485         635           375         480         625           335			
STAPLE GAGE		Panels	Fastener	Spacing at	Panel Edge	s (inches)	Fastener	Spacing at	Panel Edge	s (inches)		
Nails must be smooth and must be carbon steel (bright or galvanized)	Panels Applied Directly to Framing	Applied Over <sup>1</sup> / <sub>2</sub> inch or <sup>5</sup> / <sub>8</sub> inch Gypsum Sheathing	6	4	3	2	6	4	3	2		
	1	:	<sup>3</sup> / <sub>8</sub> -inch No	minal Pane	l Thicknes	s	r		r			
0 148	2	—	220	320	410	530	305	445	575	740		
0.110	—	2 <sup>1</sup> / <sub>2</sub>	260	380	490	640	365	530	685	895		
0.135	2	—	220	320	410	530	305	445	575	740		
	—	2 <sup>1</sup> / <sub>2</sub>	230	335	430	560	320	465	600	785		
0.131	1 <sup>3</sup> /4	—	220	320	410	530	305	445	575	740		
	_	2 <sup>1</sup> / <sub>4</sub>	200	300	390	510	280	420	545	715		
0.120	1 <sup>3</sup> /4	—	185	270	345	450	260	375	485	625		
	_	2 <sup>1</sup> / <sub>2</sub>	170	255	330	430	235	355	460	605		
0.113	1 <sup>3</sup> / <sub>4</sub>	—	200	300	390	510	280	420	545	715		
	_	2 <sup>1</sup> / <sub>4</sub>	150	225	295	385	210	315	410	540		
14, 15, 16 Gage	1 <sup>1</sup> / <sub>2</sub>	—	140	210	280	360	195	295	390	505		
14, 15, 16 Gage	—	2	140	210	280	360	195	295	390	505		
		7	/ <sub>16</sub> -inch No	minal Pane	el Thicknes	S				-		
0.148	2 <sup>1</sup> / <sub>2</sub>	_	240	350	450	585	335	490	630	820		
0.140	_	2 <sup>1</sup> / <sub>2</sub>	260	380	490	640	365	530	685	895		
0 1 2 5	2	—	240	350	450	585	335	490	630	820		
0.155	_	2 <sup>1</sup> / <sub>2</sub>	230	335	435	565	320	465	605	790		
0 1 2 1	2	—	240	350	450	585	335	490	630	820		
0.151	—	2 <sup>1</sup> / <sub>2</sub>	215	315	410	535	305	440	570	745		
0.120	2	—	205	300	385	495	285	415	535	695		
0.120	_	2 <sup>1</sup> / <sub>2</sub>	185	270	345	455	260	375	485	635		
0 113	2	—	185	265	345	445	255	375	480	625		
0.113	—	2 <sup>1</sup> / <sub>2</sub>	165	240	310	405	230	335	435	570		
14, 15, 16 Gage	1 <sup>1</sup> / <sub>2</sub>	—	155	230	310	395	215	320	435	555		
14, 15, 16 Gage	—	2	140	210	280	360	195	295	390	505		
		1	<sup>5</sup> / <sub>32</sub> -inch No	ominal Pan	el Thicknes	ss						
0.149	2	—	310	460	600	770	435	645	840	1075		
0.140	—	2 <sup>1</sup> / <sub>2</sub>	260	380	490	640	365	530	685	895		
0 1 2 5	2	-	275	405	530	680	385	570	740	950		
0.155	—	2 <sup>1</sup> / <sub>2</sub>	230	335	430	565	320	465	605	790		
0 131	2	_	260	380	490	640	365	530	685	895		
0.151	—	2 <sup>1</sup> / <sub>2</sub>	215	315	410	535	305	440	570	745		
0 1 2 0	2	—	220	325	420	545	310	450	585	765		
0.120	—	2 <sup>1</sup> / <sub>2</sub>	185	270	350	455	260	375	490	635		
0.112	2	—	200	290	375	490	280	405	525	685		
0.115	—	2 <sup>1</sup> / <sub>2</sub>	165	245	315	410	235	340	440	575		
14, 15, 16 Gage	1 <sup>1</sup> / <sub>2</sub>	—	170	255	335	430	240	355	470	600		
14, 15, 16 Gage	_	2	140	210	280	360	195	295	390	505		
		1	<sup>9</sup> / <sub>32</sub> -inch No	ominal Pan	el Thicknes	ss						
0.148	2 <sup>1</sup> / <sub>4</sub>	_	340	510	665	870	475	715	930	1215		
0.135	2 <sup>1</sup> / <sub>4</sub>	—	300	450	590	770	420	635	825	1075		
0.131	2 <sup>1</sup> / <sub>4</sub>	—	285	430	560	735	400	600	785	1025		
0.120	2 <sup>1</sup> / <sub>4</sub>	—	245	370	485	635	345	520	675	885		
0.113	2 <sup>1</sup> / <sub>4</sub>	—	225	335	440	575	315	470	615	800		
14, 15, 16 Gage	13/4	_	185	280	375	475	260	390	525	665		

See page 14 for footnote explanations.

#### Page 14 of 46

#### FOOTNOTE EXPLANATIONS FOR SHEAR WALL TABLES 8 AND 9

#### <sup>1</sup>For **SI:** 1 inch = 25.4 mm, 1 plf = 14.6 N/m.

<sup>2</sup>Shear wall construction using nails must be in accordance with Section 4.3.6 and 4.3.7 of the ANSI/AWC Special Design Provisions for Wind and Seismic (SDPWS), and shear wall construction using staples must be in accordance with 2021, 2018 and 2015 IBC Table 2306.3(1) (similar for earlier codes), as applicable.

<sup>3</sup>Tabulated values are for short-time loading due to wind or seismic. The tabulated seismic values must be reduced by 37 percent and 44 percent for normal and permanent load duration, respectively.

<sup>4</sup>The tabulated values are for fasteners installed in Douglas Fir-larch or Southern Pine. For framing of other species: (1) Find the assigned specific gravity for species of lumber (see Section A1.3) (2) For staples find shear value from Table 8 (regardless of actual sheathing grade) and multiply value by 0.82 for species with specific gravity of 0.42 or greater, or 0.65 for all other species. (3) For nails find shear value from the applicable table and multiply by the following Specific Gravity Adjustment Factor = [1 - (0.5 - G)], where G = Assigned Specific Gravity of the framing lumber. This adjustment factor must not be greater than 1.

<sup>5</sup>Shear wall deflection must be determined in accordance with Section A3.0.

<sup>6</sup>Structural I and Rated Sheathing panels must comply with DOC PS1 or PS2. Install panels either horizontally or vertically. All panel edges must be backed by framing members.

<sup>7</sup>In structures assigned to Seismic Design category D, E, or F, where the allowable shear design value exceeds 350 plf, all framing members receiving edge nailing from abutting panels must not be less than a single 3-inch nominal member. Panel joint and sill plate nailing must be staggered in all cases. See Section 4.3.6.4 of SDPWS for sill plate size and anchorage requirements, as applicable.

<sup>8</sup>Space fasteners maximum 6 inches on center along intermediate framing members - Exception: When panel thickness is greater than <sup>7</sup>/<sub>16</sub>-inch or studs are spaced less than 24 inches on center, space fasteners maximum 12 inches on center.

<sup>9</sup>Nails must be bright or galvanized carbon steel, flat head nails denoted in Appendix B as meeting the head area ratio requirements for lateral force resisting assemblies. A deformed shank nail must have either a helical (screw) shank or an annular (ring) shank. Shear wall values for stainless steel nails are outside the scope of this report.

<sup>10</sup>Staples must have a <sup>7</sup>/<sub>16</sub>-inch minimum crown width and must be installed with their crown parallel to the long dimension of the framing members, and must be driven flush with the surface of the sheathing.

<sup>11</sup>The values for <sup>3</sup>/<sub>8</sub>-inch and <sup>7</sup>/<sub>16</sub>-inch panels applied directly to framing using nails may be increased to values shown for <sup>15</sup>/<sub>32</sub>-inch-thick panels of the same panel grade, provided studs are spaced a maximum of 16 inches on center or panels are applied with long dimension across studs.

TABLE 10—ALLOWABLE SHEAR FOR WIND OR SEISMIC LOADING FOR SHEAR WALLS WITH FIBERBOARD SHEATHING, GYPSUM LATH, GYPSUM SHEATHING, GYPSUM WALLBOARD, LATH AND PLASTER OR PLYWOOD SIDING OVER WOOD FRAMING (blf)<sup>1,3,4,5</sup>

SHEATHING THICKNESS WALL (inchr MATERIAL OF MATERIAL CONSTRUCTION	EQU PAC es or	IRED ING n center)	SHEAR (pl	VALUE f)	FASTENER SPECIFICATIONS	COMMENTS		
Pan Edge	el es	Field	Seismic	Wind				
4			150	210				
3			200	280	1 <sup>1</sup> / <sub>4</sub> " long, 16, 15 & 14 gage			
1/ " Dissigned 2		0	225	315	Staple			
<sup>7/2</sup> Blocked 4		ю	220	310	41/11/ 43			
3			290	405	1'/4" long, 1" crown,			
Fiberboard 2			325	455	10, 10 & 14 gage staple	Reference IBC Table		
Sheathing 4			150	210		notes		
3	3		200	280	1'/2" long, 16, 15 & 14 gage staple			
<sup>25/co</sup> " Blocked 2		6	225	315	Stupio			
4 Jacked 4		0	220	310	41/ " long 4" arours			
3			290	405	16 15 & 14 gage staple			
2			325	455				
Gypsum Lath <sup>3</sup> / <sub>8</sub> " Unblocked + <sup>1</sup> / <sub>2</sub> " Plaster	5		10	0	1 <sup>1</sup> / <sub>8</sub> " long, <sup>3</sup> / <sub>4</sub> " crown, 16, 15 & 14 gage staple			
Gynsum 1/2" x 2' x 8' Unblocked	4		75	5	$1^{3}/4^{*}$ long 16, 15 & 14 gage			
Sheathing 1/2" x 4' Blocked			17	5 <sup>2</sup>	staple			
Unblocked	7		10	0	•			
	7		75	<sup>2</sup>	-			
Unblocked			10	0	-			
1/2"	4		11	02	1 <sup>1</sup> / <sub>2</sub> " long, 16, 15 & 14 gage			
			12	5	staple			
Blocked	- 1		12	5	-			
Cuppum	4		15			Reference IBC Table		
Wallboard Unblocked	1		11:	0 <sup>2</sup>		2306.3(3)for applicable		
	4		14	5- 5	13/8" long, 16, 15 & 14 gage staple			
Blocked	1		14	5 5				
5/8" Backed two ply	Base Ply - 9		25	0	1 <sup>5</sup> / <sub>8</sub> " long, 16, 15 & 14 gage staple			
Fa	ice P	Ply - 7	25	0	2 <sup>1</sup> / <sub>4</sub> " long, 15 & 14 gage staple			
Expanded metal or woven wire lath and 7/8" Unblocked Ead Portland cement plaster	n Ce ch Fr Mem	enter @ aming ber	18	0	<sup>7</sup> / <sub>8</sub> " long, <sup>3</sup> / <sub>4</sub> " crown, 16, 15 & 14 gage staple			
6			160	225				
		6	240	335	2 <sup>1</sup> / <sub>2</sub> x 0.113 smooth nail	Reference SDPWS Table		
3		-	310	435	(carbon steel)	4.3A for applicable notes		
Panels Applied 2			410	575				
Directly to Framing 6			140	195	4	Reference IBC Table		
Plywood Panel 4		6	210	295	$1^{1}/_{2}$ " long, 16, 15 & 14 gage	2306.3(1)for applicable		
Walls with			280	390	stapie	notes		
Framing of 3/8" 2			300	205				
Douglas Fir-			240	223		Deferre ODDWO Table		
Southern Pine <sup>2</sup>		6	240	335	3 X U.131 SMOOth hall (carbon steel)	4.3B for applicable notes		
Panels Applied Over			310	430				
<sup>1</sup> / <sub>2</sub> " or <sup>5</sup> / <sub>8</sub> " Gypsum			1/0	105				
Sheathing 0			210	205	0" long 16 15 9 11 mm	Reference IBC Table		
		6	280	390	≤ iong, io, io & i4 gage stable	2306.3(1) for applicable		
			360	505		notes		

For **SI**: 1 inch = 25.4 mm; 1 foot = 305 mm; 1 plf = 14.6 N/m.

<sup>1</sup>Shear values are based on maximum framing spacing of 16 inches on center, unless otherwise noted.

<sup>2</sup>Shear values are based on maximum framing spacing of 24 inches on center.

<sup>3</sup>Staples must have a minimum crown width of  $^{7/_{16}}$  inch, measured outside the legs, unless otherwise noted.

<sup>4</sup>Nails must be bright or galvanized carbon steel, flat head nails denoted in Appendix B as meeting the head area ratio requirements for lateral force resisting assemblies. Shear wall values for stainless steel nails are outside the scope of this report.

<sup>5</sup>In addition to requirements presented above for fastening of shear walls all other requirements of the applicable model code (such as, but not limited to, conditions of use and modification of design values for certain Seismic Design Categories) pertaining to shear wall design and construction must be met.

		TABLE 11-FASTER	ING SCHEDULE-WALL	FRAMING		
	MINIMUM	FASTENING REQUIREME	NTS PRESCRIBED IN TH	E CODE	ALTERNATIVE FASTE	NING REQUIREMENTS
	2012 IBC	2015 IBC	2018 IBC	2021 IBC <sup>(1)</sup>		
CONNECTION	Table 2304.9.1	Table 2304.10.1	Table 2304.10.1	Table 2304.10.2	All nails are o	arbon steel (1)
DESCRIPTION	2012 IRC	2015 IRC	2018 IRC	2021 IRC <sup>(1)</sup>	Air nuits are e	
	Table R602.3(1)	Table R602.3(1)	Table R602.3(1)	Table R602.3(1)		
	# Nail Size [Type (inch)]					
	IBC Connection 9	IBC Connection 8	IBC Connection 8	IBC Connection 8	@ 24" o.c.	@ 16" o.c.
Stud-to-stud	@ 24" o.c.	@ 24" o.c.	@ 24" o.c.	@ 24" o.c.	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1 12d com (3 <sup>1</sup> / <sub>4</sub> x .148)
(double studs)	1 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)		1 10d com (3 x .148)
not at braced walls	@ 8" o.c.	@ 16" o.c.	@ 16" o.c.	@ 16" o.c.		1 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)
~	1 3 x .131		1 3 <sup>1</sup> / <sub>4</sub> x .131			
A A A		1 10d box (3 x .128)	1 10d box (3 x .128)	1 10d box (3 x .128)		1 3 x .131
	IRC Connection 12	IRC Connection 8	IRC Connection 8	IRC Connection 8		@ 8" o.c.
	@ 24" o.c.	@ 24" o.c.	@ 24" o.c.	@ 24" o.c.		1 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)
	1 10d box (3 x .128)	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)		1 3 <sup>1</sup> / <sub>4</sub> x .120
		@ 16" o.c.	@ 16" o.c.	@ 16" o.c.		1 3 x .120
		1 3 x .131	1 3 x .131	1 3 x .131		
		1 10d box (3 x .128)	1 10d box (3 x .128)	1 10d box (3 x .128)		
Stud-to-stud and abutting studs at		IBC Connection 9	IBC Connection 9	IBC Connection 9	@ 16" o.c.	@ 12" o.c.
intersecting wall corners at braced		@ 16" o.c.	@ 16" o.c.	@ 16" o.c.	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1 12d com (3 <sup>1</sup> / <sub>4</sub> x .148)
walls		1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)		1 10d com (3 x .148)
		@ 12" o.c.	@ 12" o.c.	@ 12" o.c.	7	1 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)
		1 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	1 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	1 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)		1 3 <sup>1</sup> / <sub>4</sub> x .131
		1 3 x .131	1 3 x .131	1 3 x .131		1 3 x .131
		IRC Connection 9	IRC Connection 9	IRC Connection 9		@ 8" o.c.
		@ 16" o.c.	@ 16" o.c.	@ 16" o.c.		1 3 <sup>1</sup> / <sub>4</sub> x .120
		1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)		1 3 x .120
		@ 12" o.c.	@ 12" o.c.	@ 12" o.c.		
		1 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	1 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	1 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)		
		1 3 x .131	1 3 x .131	1 3 x .131		
Abutting studs at corners and	IBC Connection 23	IBC Connection 8	IBC Connection 8	IBC Connection 8	@ 12" o.c.	@ 8" o.c.
intersections	@ 24" o.c.	@ 24" o.c.	@ 24" o.c.	@ 24" o.c.	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1 3 <sup>1</sup> / <sub>4</sub> x .131
not at braced walls	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1 12d com (3 <sup>1</sup> / <sub>4</sub> x .148)	1 3 x .131
	@ 16" o.c.	@ 16" o.c.	@ 16" o.c.	@ 16" o.c.	1 10d com (3 x .148)	1 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)
	1 3 x .131	1 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	1 3 <sup>1</sup> / <sub>4</sub> x .120			
		1 10d box (3 x .128)	1 10d box (3 x .128)	1 10d box (3 x .128)		1 3 x .120
	IRC Connection 8	IRC Connection 8	IRC Connection 8	IRC Connection 8		
	@ 16" o.c.	@ 24" o.c.	@ 24" o.c.	@ 24" o.c.		
	1 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1 16d com 3 <sup>1</sup> / <sub>2</sub> x .162		
		@ 16" o.c.	@ 16" o.c.	@ 16" o.c.		
		1 3 x .131	1 3 x 131	1 3 x 131		
		1 10d box (3 x .128)	1 10d box (3 x .128)	1 10d box (3 x .128)		

#### ----



#### TABLE 11—FASTENING SCHEDULE–WALL FRAMING (cont.)

	MINIMU	M FASTENING REQUIREM	ENTS PRESCRIBED IN TH	E CODE	ALTERNATIVE FASTENING REQUIREMENTS
	2012 IBC	2015 IBC	2018 IBC	2021 IBC <sup>(1)</sup>	
CONNECTION	Table 2304.9.1	Table 2304.10.1	Table 2304.10.1	Table 2304.10.2	All nails are carbon steel (1)
DESCRIPTION	2012 IRC	2015 IRC	2018 IRC	2021 IRC (1)	
	Table R602.3(1)	Table R602.3(1)	Table R602.3(1)	Table R602.3(1)	# Noil Size [Type (inch)] # Noil Size [Type (inch)]
Tan alata ta tan alata @ and isiat	# Nall Size [Type (Inch)]	# Nall Size [Type (inch)]	# Nall Size [Type (inch)]	# Nall Size [Type (Inch)]	# Nall Size [Type (inch)] # Nall Size [Type (inch)]
I op plate to top plate @ end joint	IBC Connection 10b	IBC Connection 13	IBC Connection 13	IBC Connection 13	Nalls each side of joint
(lap spille)		Nails each s	side of joint		8 16d com $(3^{1}/_{2} \times .162)$ 12 16d box $(3^{1}/_{2} \times .135)$
	8 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	8 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	8 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	8 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	12 12d com (3 <sup>1</sup> / <sub>4</sub> x .148) 12 3 <sup>1</sup> / <sub>4</sub> x .131
	12 3 x .131	12 3 x .131	12 3 x .131	12 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	12 10d com (3 x .148) 12 3 x .131
		12 10d box (3 x .128)	12 10d box (3 x .128)	12 3 x .131	For 2015 IRC Connection 13b
<u> </u>				12 10d box (3 x .128)	10 16d com $(3^{1}/_{2} \times .162)$ 12 10d com $(3 \times .148)$
					12 12d com $(3^{1}/_{4} \times .148)$ 12 16d box $(3^{1}/_{2} \times .135)$
	IRC Connection 14	IRC Connection 13a	IRC Connection 13	IRC Connection 14	4
		Nails each s	side of joint		-
	8 160 DOX (3 <sup>1</sup> / <sub>2</sub> X .135)	8 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	8 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	8 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	4
		12 160 DOX (3 <sup>1</sup> / <sub>2</sub> X .135)	12 160 DOX (3 <sup>1</sup> / <sub>2</sub> X .135)	12 160 DOX (3 <sup>1</sup> / <sub>2</sub> X .135)	4
		12 3 X.131	12 3 X.131	12 3 X .131	4
		12 10d box (3 x .128)	12 10d box (3 x .128)	12 10d box (3 x .128)	-
		IRC Connection 13b			
		12 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)			
Top plate overlap at corners and	IBC Connection 13	IBC Connection 18	IBC Connection 17	IBC Connection 17	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162) 3 3 <sup>1</sup> / <sub>4</sub> x .131
intersection	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	3 12d com (3 <sup>1</sup> / <sub>4</sub> x .148) 3 3 x .131
	3 3 x .131	3 3 x .131	3 3 x .131	3 3 x .131	3 10d com (3 x .148) 4 3 <sup>1</sup> / <sub>4</sub> x .120
		3 10d box (3 x .128)	3 10d box (3 x .128)	3 10d box (3 x .128)	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135) 4 3 x .120
	IRC Connection 19	IRC Connection 17	IRC Connection 17	IRC Connection 18	
	2 10d box (3 x .128)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	
		3 3 x .131	3 3 x .131	3 3 x .131	
$\mathbf{V}$		3 10d box (3 x .128)	3 10d box (3 x .128)	3 10d box (3 x .128)	
Bottom plate to joist, rim joist or	IBC Connection 6a	IBC Connection 14	IBC Connection 14	IBC Connection 14	@ 16" o.c. @ 8" o.c.
blocking not at braced walls	@ 16" o.c.	@ 16" o.c.	@ 16" o.c.	@ 16" o.c.	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162) 1 3 <sup>1</sup> / <sub>4</sub> x .120
	1 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1 16d com $(3^{1}/_{2} \times .162)$	1 16d com $(3^{1}/_{2} \times .162)$	@ 12" o.c. 1 3 x .120
	@ 8" o.c.	@ 12" o.c.	@ 12" o.c.	@ 12" o.c.	1 12d com $(3^{1}/_{4} \times .148)$
	1 3 x .131	1 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	1 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	1 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	1 10d com (3 x .148)
		1 3 x .131	1 3 x .131	1 3 x .131	1 16d box $(3^{1}/_{2} \times .135)$
	IRC Connection 15	IRC Connection 14	IRC Connection 14	IRC Connection 15	1 3 <sup>1</sup> / <sub>4</sub> x .131
	@ 16" o.c.	@ 16" O.C.	@ 16″ o.c.	@ 16" o.c.	1   3 X.131
	1 160 DOX (3 <sup>1</sup> / <sub>2</sub> X 135)	1 160 com (3 <sup>1</sup> / <sub>2</sub> x .162)	1 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1 160 com (3 <sup>1</sup> / <sub>2</sub> x .162)	4
					4
		1 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	1 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	1 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	4
		1 3 x 131	1 3 x 131	1 3 x 131	

#### TABLE 11—FASTENING SCHEDULE–WALL FRAMING (cont.)

	MINUMU			E CODE		
		2015 IBC			ALTERNATIVE FASTE	INING REQUIREMENTS
CONNECTION	2012 IBC Table 2304 9 1	2013 IBC Table 2304 10 1	Z010 IBC Table 2304 10 1	Table 2304 10 2		
DESCRIPTION	2012 IRC	2015 IRC	2018 IBC	2021 IRC (1)	All nails are o	carbon steel. <sup>(1)</sup>
	Table R602.3(1)	Table R602.3(1)	Table R602.3(1)	Table R602.3(1)		
	# Nail Size [Type (inch)]					
Bottom plate to joist, band joist or	IBC Connection 6b	IBC Connection 15	IBC Connection 15	IBC Connection 15	@ 16" o.c.	@ 12" o.c.
blocking at braced walls	@ 16" o.c.	@ 16" o.c.	@ 16" o.c.	@ 16" o.c.	3 12d com (3 <sup>1</sup> / <sub>4</sub> x .148)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)
	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	3 10d com (3 x .148)	
	4 3 x .131	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	
		4 3 x .131	4 3 x .131	4 3 x .131	4 3 <sup>1</sup> / <sub>4</sub> x .131	7
	IRC Connection 16	IRC Connection 15	IRC Connection 15	IRC Connection 16	4 3 x .131	
	@ 16" o.c.	@ 16" o.c.	@ 16" o.c.	@ 16" o.c.	4 3 <sup>1</sup> / <sub>4</sub> x .120	
	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	5 3 x .120	
		3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)		_
		4 3 x .131	4 3 x .131	4 3 x .131		
Top or bottom plate to stud	IBC Connection 7 & 8b	IBC Connection 16b & 17	IBC Connection 16b	IBC Connection 16b	3 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	4 3 <sup>1</sup> / <sub>4</sub> x .131
(face/end nail)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	3 12d com (3 <sup>1</sup> / <sub>4</sub> x .148)	4 3 x .131
	3 3 x .131	3 3 x .131	3 3 x .131	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	3 10d com (3 x .148)	4 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)
		3 10d box (3 x .128)	3 10d box (3 x .128)	3 3 x .131	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	4 3 <sup>1</sup> / <sub>4</sub> x .120
··				3 10d box (3 x .128)		4 3 x .120
	IRC Connection 18	IRC Connection 16b	IRC Connection 16b	IRC Connection 17b		
	2 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)		
		3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)		
		3 3 x .131	3 3 x .131	3 3 x .131		
		3 10d box (3 x .128)	3 10d box (3 x 128)	3 10d box (3 x 128)		
Stud to top or bottom plate	IBC Connection 8	IBC Connection 16a	IBC Connection 16a	IBC Connection 16a	3 16d com (3 <sup>1</sup> / <sub>2</sub> x 162)	4 8d com $(2^{1}/_{2} \times 131)$
(toe nail)	4 8d com $(2^{1}/_{2} \times .131)$	4 8d com $(2^{1}/_{2} \times .131)$	4 8d com $(2^{1}/_{2} \times .131)$	$3  16d \text{ box } (3^{1}/2 \text{ x}, 135)$	4 12d com $(3^{1}/_{4} \times .148)$	$5 \frac{3^{1}}{4} \times 120$
	4 3 x .131	4 3 x .131	4 3 x .131	4 8d com $(2^{1}/_{2} \times .131)$	4 10d com (3 x .148)	5 3 x .120
		4 10d box (3 x .128)	4 10d box (3 x .128)	4 3 x .131	4 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	6 8d box (2 <sup>1</sup> / <sub>2</sub> x .113)
		· · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	4 10d box (3 x .128)	4 3 <sup>1</sup> / <sub>4</sub> x .131	6 2 <sup>3</sup> / <sub>8</sub> x .113
				4 8d box (2 <sup>1</sup> / <sub>2</sub> x .113)	4 3 x .131	6 6d com (2 x .113)
	IRC Connection 17	IRC Connection 16a	IRC Connection 16a	IRC Connection 17a	· · ·	
$\leq \gg$ $\rightarrow$	2 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)		
	3 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	4 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	4 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	4 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)		
		4 3 x .131	4 3 x .131	4 3 x .131		
		4 10d box (3 x .128)	4 10d box (3 x .128)	4 10d box (3 x .128)		
		4 8d box (2 <sup>1</sup> / <sub>2</sub> x .113)	4 8d box (2 <sup>1</sup> / <sub>2</sub> x .113)	4 8d box (2 <sup>1</sup> / <sub>2</sub> x .113)		
1" Diagonal brace to stud/plate	IBC Connection 20	IBC Connection 19	IBC Connection 18	IBC Connection 18	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)
(face-nail)	2 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	2 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	2 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	2 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	2 12d com (3 <sup>1</sup> / <sub>4</sub> x .148)	3 3 <sup>1</sup> / <sub>4</sub> x .120
	2 3 x .131	2 10d com (3 x .148)	3 3 x .120			
		2 10d box (3 x .128)	2 10d box (3 x .128)	2 10d box (3 x .128)	2 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	3 8d box $(2^{1}/_{2} \times .113)$
				3 8d box $(2^{1}/_{2} \times .113)$	2 3 <sup>1</sup> / <sub>4</sub> x .131	3 2 <sup>3</sup> / <sub>8</sub> x .113
	IRC Connection 20	IRC Connection 18	IRC Connection 18	IRC Connection 19	2 3 x .131	3   2 <sup>1</sup> / <sub>4</sub> x .099
	2 80 DOX (21/2 X .113)	2 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	$2 80 \text{ com} (2^{1}/_{2} \text{ x}.131)$	$2 80 \text{ com} (2^{1}/_{2} \text{ x}.131)$	4	
Rabb		2 100 DOX (3 X .128)	2 100 DOX (3 X .128)	2 3X.131	-	
1 Alter		3 00 DOX (21/2 X 113)	3 80 DOX (21/2 X 113)	3 100 DOX (3 X .128)	4	
				3 80 DOX (21/2 x .113)		

#### TABLE 11—FASTENING SCHEDULE–WALL FRAMING (cont.)

	MINIMUM	/ FAS		NT	S PRESCRIBED IN TH	F C	ODE		AI TERNATIVE FASTE	NIN	G REQUIREMENTS
	2012 IBC		2015 IBC		2018 IBC		2021 IBC (1)				
CONNECTION	Table 2304.9.1		Table 2304.10.1		Table 2304.10.1		Table 2304.10.2	_	All nails are c	arho	on steel (1)
DESCRIPTION	2012 IRC		2015 IRC	2018 IRC		2021 IRC (1)					
	Hable R602.3(1)	#	Table R602.3(1)	#	Table R602.3(1)	#	Table R602.3(1)	#	Noil Size [Type (inch)]	#	Noil Size [Type (inch)]
Displana hatusan isista ar roftar ta	# Nall Size [Type (IIICI)]	#		#	INAII Size [Type (Inch)]	#	INAIL SIZE [Type (Inch)]	#	16d com (21/ x 162)	#	
top plate (top-pail)	IBC Connection 11		IBC Connection Ta		IBC Connection 1a	_	IBC Connection 1a	3	160 com (31/2 X . 162)	3	80 COTT (21/2 X . 131)
top plate (toe-flair)	3 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	3	8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	3	8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	3	8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	3	12d com (3 <sup>1</sup> / <sub>4</sub> x .148)	3	10d box (3 x .128)
	3 3 X .131	3	3 X .131	3	3 X .131	3	3 X .131	3	160 DOX (31/2 X .135)	4	3 <sup>1</sup> / <sub>4</sub> X .120
		3	10d box (3 x .128)	3	10d box (3 x .128)	3	10d box (3 x .128)	3	3 <sup>1</sup> / <sub>4</sub> X .131	4	3 X .120
	IDO Composition 1		IDO Osumastian 4	1	IDO Osmasstian 4	4	80 DOX (21/2 X .113)	3	3 X .131	5	80 DOX (21/2 X .113)
	IRC Connection 1	2	IRC Connection 1	2	IRC Connection 1	2	IRC Connection 1a	-			
	3 80 DOX (21/2 X . 113)	3	$30 \text{ COIII} (2^{1}/2 \text{ X} \cdot 131)$	3	$30 \text{ COIII} (2^{1}/2 \text{ X} \cdot 131)$	3	$30 \text{ COIII} (2^{1/2} \times .131)$	-			
		2	3 X . 131	2	3 X . 131	2	3 X . 131	-			
		3	Rd box (21/2 x 112)	3	100 D0X (3 X .120)	3	Rd box (21/2 x 112)				
		4	ou box (272 X . 113)	4	ou box (272 X 113)	4	ou box (2.72 x . 113)				
Blocking between rafters or truss		IE	BC Connection 1b-1	I	BC Connection 1b-1	I	BC Connection 1b-1	2	16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2	16d box (3 <sup>1</sup> / <sub>2</sub> x .135)
not at wall top plate, to ratter or		2	8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	2	8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	2	8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	2	12d com (3 <sup>1</sup> / <sub>4</sub> x .148)	2	3 <sup>1</sup> / <sub>4</sub> x .131
		2	3 x .131	2	3 x .131	2	3 x .131	2	10d com (3 x .148)	2	8d com (2 <sup>1</sup> / <sub>2</sub> x .131)
						-	RC Connection 1b-1				
						2	8d com (2 <sup>1</sup> / <sub>2</sub> x .131)				
						2	3 x .131				
Blocking between rafters or truss		IE	3C Connection 1b-2		BC Connection 1b-2	1	BC Connection 1b-2	2	16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	3	3 <sup>1</sup> / <sub>4</sub> x .131
not at wall top plates, to rafter or		2	16d com (31/2 x .162)	2	16d com (31/2 x .162)	2	16d com (31/2 x .162)	3	12d com (3 <sup>1</sup> / <sub>4</sub> x .148)	3	3 x .131
truss (end nail)		3	3 x .131	3	3 x .131	3	3 x .131	3	10d com (3 x .148)	4	3 <sup>1</sup> / <sub>4</sub> x .120
			•		•	IR	C Connection 1b	3	16d box (31/2 x .135)	4	3 x .120
						2	16d com (31/2 x .162)				
						3	3 x .131				
▁Ň₿₿╺╉═╉═₽╸											
Flat blocking to truss and web filler			IBC Connection 1c		IBC Connection 1c		IBC Connection 1c		@ 6'	' o.c	
(face nail)			@ 6" o.c.		@ 6" o.c.		@ 6" o.c.	1	16d com (31/2 x .162)	1	16d box (31/2 x .135)
		1	16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1	16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1	16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1	12d com (3 <sup>1</sup> / <sub>4</sub> x .148)	1	3 <sup>1</sup> / <sub>4</sub> x .131
		1	3 x .131	1	3 x .131	1	3 x .131	1	10d com (3 x .148)	1	3 x .131
							IRC Connection 1c				
							@ 6" o.c.				
100 A.S.						1	16d com (3 <sup>1</sup> / <sub>2</sub> x .162)				
						1	3 x .131	1			

#### TABLE 12—FASTENING SCHEDULE-CEILING AND ROOF FRAMING

	MINIMUN	I FA	STENING REQUIREME	INTS	PRESCRIBED IN THI	E CC	DE	A	LTERNATIVE FASTE	NING	REQUIREMENTS
	2012 IBC		2015 IBC		2018 IBC		2021 IBC (1)				
CONNECTION	Table 2304.9.1		Table 2304.10.1		Table 2304.10.1		Table 2304.10.2		All nails are c	arbon	steel. <sup>(1)</sup>
DESCRIPTION	2012 IRC Table 8602 3(1)		2015 IRC Table R602 3(1)		2018 IRC Table R602 3(1)		2021 IRC (1) Table R602 3(1)				
	# Nail Size [Type (inch)]	#	Nail Size [Type (inch)]	#	Nail Size [Type (inch)]	#	Nail Size [Type (inch)]	#	Nail Size [Type (inch)]	#	Nail Size [Type
Colling joint to plate	IPC Connection 15	-	IPC Connection 2		IPC Connection 2		IPC Connection 2	2	16d opm (21/2 x 162)	4	(inch)]
(toe-nail) nail thru each side		2		2	IBC Connection 2	2		3	100 com (31/2 x 102)	4	374 X.120
	3 80 com (21/2 X . 131)	3	80 COTT (21/2 X . 131)	3	80 COTT 2/2 X . 131	3	80 COTT (21/2 X . 131)	3	120 com (3 1/4 X . 148)	4	$3 \times 120$
	5 3 3 . 131	3	3 X . 131	3	3 X . 131	3	3 X . 131	3	100 com (3 x . 148)	5	80 DOX (21/2 X . 113)
Л		3	10d box (3 x .128)	3	10d box 3 x .128	3	10d box (3 x .128)	3	160 DOX (31/2 X .135)	5	2 <sup>3</sup> / <sub>8</sub> X .113
	IDO Composition O		IDO Composition O		IDO Composition O	4	80 DOX (21/2 X .113)	3	3'/4 X .131	5	60 com (2 x .113)
	IRC Connection 2	-	IRC Connection 2		IRC Connection 2		IRC Connection 2	3	3 X .131		
4	3 8d box (2 <sup>1</sup> / <sub>2</sub> x .113)	3	8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	3	8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	3	8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	3	8d com (2 <sup>1</sup> / <sub>2</sub> x .131)		
		3	3 x .131	3	3 x .131	3	3 x .131				
		3	10d box (3 x .128)	3	10d box (3 x .128)	3	10d box (3 x .128)				
		4	8d box (21/2 x .113)	4	8d box (21/2 x .113)	4	8d box (21/2 x .113)				
Ceiling joist (not connected to	IBC Connection 17		IBC Connection 3		IBC Connection 3		IBC Connection 3	3	16d com (31/2 x .162)	4	3 <sup>1</sup> / <sub>4</sub> x .131
parallel ratter – no thrust), laps over	3 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	3	16d com (31/2 x .162)	3	16d com (31/2 x .162)	3	16d com (31/2 x .162)	4	12d com (31/4 x .148)	4	3 x .131
partition	4 3 x .131	4	3 x .131	4	3 x .131	4	3 x .131	4	10d com (3 x .148)	5	3¹/₄ x .120
		4	10d box (3 x .128)	4	10d box (3 x .128)	4	10d box (3 x .128)	4	16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	5	3 x .120
	IRC Connection 3		IRC Connection 3		IRC Connection 3		IRC Connection 3				
	3 10d box (3 x .128)	3	16d com (31/2 x .162)	3	16d com (31/2 x .162)	3	16d com (31/2 x .162)				
		4	3 x .131	4	3 x .131	4	3 x .131				
		4	10d box (3 x .128)	4	10d box (3 x .128)	4	10d box (3 x .128)				
Collar tie to rafter	IBC Connection 26		IBC Connection 5		IBC Connection 5		IBC Connection 5	3	16d com (31/2 x .162)	4	3 x .131
	3 10d com (3 x .148)	3	10d com (3 x .148)	3	10d com (3 x .148)	3	10d com (3 x .148)	3	12d com (3 <sup>1</sup> / <sub>4</sub> x .148)	5	8d com (21/2 x .131)
	4 3 x .131	4	3 x .131	4	3 x .131	4	3 x .131	3	10d com (3 x .148)	5	3 <sup>1</sup> / <sub>4</sub> x .120
	IDC Connection 4	4	10d box (3 x .128)	4	10d box (3 x .128)	4	10d box (3 x .128)	4	$160 \text{ box} (3^{1}/_{2} \text{ x} .135)$	5	3 x .120
	3 10d box (3 x 128)	3	10d com (3 x 148)	3	10d com (3 x 148)	3	10d com (3 x 148)	4	3'/4 X.131	0	OU DUX (21/2 X . 113)
	3 100 D0x (3 x.120)	4	3 x .131	4	3 x .131	4	3 x 131				
		4	10d box (3 x .128)	4	10d box (3 x .128)	4	10d box (3 x .128)	1			
Roof rafter or truss to plate,	IBC Connection 19		IBC Connection 6		IBC Connection 6		IBC Connection 6	3	16d com (31/2 x .162)	4	3 x .131
toenail, half each side	3 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	3	10d com (3 x .148)	3	10d com (3 x .148)	3	10d com (3 x .148)	3	12d com (31/4 x .148)	4	8d com (21/2 x .131)
	3 3 x .131	3	16d box (31/2 x .135)	3	16d box (31/2 x .135)	3	16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	3	10d com (3 x .148)	4	3 <sup>1</sup> / <sub>4</sub> x .120
_ // /	+ connectors per	4	3 x .131	4	3 x .131	3	3 x .131	3	16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	4	3 x .120
	IBC Section 2308.10.1	4	10d box (3 x .128)	4	10d box (3 x .128)	4	10d box (3 x .128)	4	3'/4 x .131		
			IBC Section 2308.7.5	I	BC Section 2308.7.5	I	BC Section 2308.7.5		+ connectors per ap	olicab	le IBC Section
	IRC Connection 5		IRC Connection 6		IRC Connection 6		IRC Connection 6				
	3 10d com (3 x .148)	3	10d com (3 x .148)	3	10d com (3 x .148)	3	10d com (3 x .148)				
	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	3	16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	3	16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	3	16d box (31/2 x .135)				
		4	3 x .131	4	3 x .131	4	3 x .131				
		4	10d box (3 x .128)	4	10d box (3 x .128)	4	10d box (3 x .128)				

#### TABLE 12—FASTENING SCHEDULE-CEILING AND ROOF FRAMING (cont.)

CONNECTION DESCRIPTION         Path 218 C 1 able 2004.3.1 Table		MINIMI	IM FASTENING REQUIREME		CODE	AI TERNATIVE FASTENING REQUIREMENTS			
CONNECTION DESCRIPTION         Table 2364 (b1 Table 860 (3/) Table 860 (3/) Tab		2012 IBC	2015 IBC	2018 IBC	2021 IBC (1)	ALTERNATTE FAOTEINTO RECORCEMENTO			
DESCRIPTION         2013 IRC Table R022(1) # Nall Size [Type (inch]] # Nall Size [Type (in	CONNECTION	Table 2304.9.1	Table 2304.10.1	Table 2304.10.1	Table 2304.10.2				
Table R602.3(1)         Table R602.3(1) <t< td=""><td>DESCRIPTION</td><td>2012 IRC</td><td>2015 IRC</td><td>2018 IRC</td><td>2021 IRC (1)</td><td>All nalls are carbon steel.</td></t<>	DESCRIPTION	2012 IRC	2015 IRC	2018 IRC	2021 IRC (1)	All nalls are carbon steel.			
Ridge beam (face/end nai)         #         Nail Size [Type (inch)]		Table R602.3(1)	Table R602.3(1)	Table R602.3(1)	Table R602.3(1)				
Ridge beam (fsce)end nail)         IBC Connection 7a         IBC Connection 7b         IBC Connection 7b </td <td></td> <td># Nail Size [Type (inch)]</td> <td># Nail Size [Type (inch)] # Nail Size [Type (inch)]</td>		# Nail Size [Type (inch)]	# Nail Size [Type (inch)]	# Nail Size [Type (inch)]	# Nail Size [Type (inch)]	# Nail Size [Type (inch)] # Nail Size [Type (inch)]			
2       16d com (3/x, x.162)       2       16d com (3/x, x.162)       4       12d com (3/x, x.166)       4       3 x.131         3       3 x.131       3       3 x.131       3       3 x.131       4       3 x.131       4       16d box (3/x, x.162)       4       16d box (3/x, x.150)       5       3 x.120         RC Connection 6       RC Connection 7b       RC Connection 7b       RC Connection 7b       BC Connection 7b       S 3 x.131       6       Bd com (3/x, x.13)       6       Bd com (2/x, x.13)       16d box (3/x, x.130)	Ridge beam (face/end nail)	IBC Connection 28b	IBC Connection 7a	IBC Connection 7a	IBC Connection 7a	3 16d com (3 <sup>1</sup> / <sub>2</sub> x .162) 4 3 <sup>1</sup> / <sub>4</sub> x .131			
Image: style	4	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	4 12d com (3 <sup>1</sup> / <sub>4</sub> x .148) 4 3 x .131			
Image: connection 6         Index (3 x, 128)         3         1 (od box (3 x, 128))         4         1 (od box (3 x, 128))         3         1 (od box (3 x, 128))         4         1 (od box (3 x, 128		3 3 x .131	3 3 x .131	3 3 x .131	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	4 10d com (3 x .148) 5 3 <sup>1</sup> / <sub>4</sub> x .120			
Image: Second			3 10d box (3 x .128)	3 10d box (3 x .128)	3 10d box (3 x .128)	4 16d box (3 <sup>1</sup> / <sub>2</sub> x .135) 5 3 x .120			
4       16d box (3/x .135)       2       16d com (3/x .162)       2       16d com (3/x .162)       2       16d com (3/x .162)       3       16d box (3/x .136)         Roof rafter to 2-by ridge beam (toe-nail)       iBC Connection 28a       IBC Connection 7b       IBC Connection 7a       IBC Connection 7b		IRC Connection 6	IRC Connection 7b	IRC Connection 7b	IRC Connection 7b				
3         1 dd box (3/2 x.135)         3         1 dd box (3/2 x.135)         3         1 dd box (3/2 x.135)           Roof rafter to 2-by ridge beam (toe-nail)         IBC Connection 7b         IBC Connection 7b         IBC Connection 7b         3         1 dd box (3/2 x.135)         3         1 dd box (3/2 x.135)           3         3 3 x.131         3         1 dd box (3/2 x.122)         3         1 dd box (3/2 x.135)         3         1 dd box (3/2 x.135)         4         1 dd box (3/2 x.135)           3         1 dd box (3/2 x.122)         3         1 dd box (3 x.148)         3         1 dd box (3/2 x.135)         3         1 dd box (3/2 x.135)           3         1 dd box (3/2 x.122)         3         1 dd com (3 x.148)         3         1 dd box (3/2 x.135)         3         1 dd box (3/2 x.135)         3         1 dd box (3/2 x.135)           3         1 dd box (3/2 x.135)         3         1 dd box (3/2 x.135)         3         1 dd box (3/2 x.135)           1 dd box (3/2 x.135)         1 dd box (3/2 x.135)         1 dd box (3/2 x.135)         1 dd box (3/2 x.135)         1 dd box (3/2 x.135)         1 dd box (3/2 x.135)           1 dd box (3/2 x.135)         1 dd box (3/2 x.135)         1 dd box (3/2 x.135)         1 dd box (3/2 x.135)		4 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	2 16d com $(3^{1}/_{2} \times .162)$	2 16d com $(3^{1}/_{2} \times .162)$	2 16d com $(3^{1}/_{2} \times .162)$	_			
Bit Connection 28         BC Connection 7b         BC Connection 7a         BC Connection 7b			3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	$\frac{3}{160} \frac{160 \text{ box} (3^{1}/_2 \text{ x} .135)}{160 \text{ box} (3^{1}/_2 \text{ x} .135)}$	$\frac{3}{160} \frac{160 \text{ box} (3^{1}/_2 \text{ x} .135)}{160 \text{ box} (3^{1}/_2 \text{ x} .135)}$	_			
Roof rafter to 2-by ridge beam (toe-nell)         IBC Connection 28 IBC Connection 7 IBC Conn			3 3 X.131	3 3 X .131	3 3 X . 131	_			
Bit Connection 7b       BBC Connection 7b       BBC Connection 7b       3       1 fed com (3/x, 1:62)       5       86 com (2/x, 1:31)         2       16d com (3/x, 1:62)       3       10d com (3/x, 1:48)       4       11 do com (3/x, 1:48)       4       12 com (3/x, 1:48)       6       3 x, 1:31       4       16d box (3/x, 1:48)       4       10d com (3/x, 1:48)       6       3 x, 1:20         3       1.3       1.3       1.64 box (3/x, 1:28)       4       10d box (3/x, 1:28)       4       10d box (3/x, 1:28)       4       10d box (3/x, 1:28)       6       3 x, 1:31       6       2 ½ x x, 1:33       6       2 ½ x x, 1:33       6       6 d com (2/x, 1:13)       1       1       1 d d box (3/x, 1:13)       1       1 d d com (3/x, 1:48) </td <td></td> <td></td> <td>3 10d box (3 x .128)</td> <td>3 10d box (3 x .128)</td> <td>3 10d box (3 x .128)</td> <td></td>			3 10d box (3 x .128)	3 10d box (3 x .128)	3 10d box (3 x .128)				
(108-Hall)       2       16d com (3/x, x162)       3       10d com (3/x, x148)       3       10d com (3/x, x148)       4       12d com (3/x, x148)       6       3/x, 120         3       3 x, 131       4       3 x, 131       4       3 x, 131       4       16d box (3/x, x138)       4       16d box (3/x, x138)       4       16d box (3/x, x138)       6       8d box (2/x, x, 113)         4       10d box (3 x, 128)       10d com (3 x, 148)       3       10d com (3 x, 148)       6       8d box (2/x, x, 113)         4       16d box (3/x, x, 135)       4       16d box (3/x, 128)       4       10d box (3 x, 128)       5       3/x, 131       6       8d com (2 x, 143)         4       16d box (3/x, 128)       4       10d box (3 x, 128)       4       10d box (3 x, 128)       5       3/x, 131       6       6d com (2 x, 113)         4       16d box (3/x, 128)       4       10d box (3 x, 148)       5       3/4 x, 131       3       16d com (3/x, 148)       5       3/4 x, 131       3       10d com (3 x, 148) </td <td>Roof rafter to 2-by ridge beam</td> <td>IBC Connection 28a</td> <td>IBC Connection 7b</td> <td>IBC Connection 7b</td> <td>IBC Connection 7b</td> <td>3 16d com <math>(3^{1}/_{2} \times .162)</math> 5 8d com <math>(2^{1}/_{2} \times .131)</math></td>	Roof rafter to 2-by ridge beam	IBC Connection 28a	IBC Connection 7b	IBC Connection 7b	IBC Connection 7b	3 16d com $(3^{1}/_{2} \times .162)$ 5 8d com $(2^{1}/_{2} \times .131)$			
3       13x.131       3       16d box (3/2 x.135)       4       10d box (3/2 x.135)       4       10d box (3/2 x.135)       4       10d box (3 x.128)       4       10d box (3 x.128)       4       10d box (3 x.128)       5       3/4 x.131       6       8/4 box (3/2 x.135)       8/4 box (3/2 x.135)       8/4 box (3/2 x.135)       <	(toe-nail)	2 16d com $(3^{1}/_{2} \times .162)$	3 10d com (3 x .148)	3 10d com (3 x .148)	3 10d com (3 x .148)	4 12d com $(3^{1}/_{4} x.148)$ 6 $3^{1}/_{4} x.120$			
Image: Product of the produc	1	3 3 x .131	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	4 16d box $(3^{1}/_{2} \times .135)$	4 16d box $(3^{1}/_{2} \times .135)$	4 10d com (3 x .148) 6 3 x .120			
IRC Connection 7a       IRC Connection 7b       IRC Connection 7a       IR			4 3 X.131	4 3 X .131	4 3 X .131	4 160 DOX (3 <sup>1</sup> / <sub>2</sub> X .135) 6 80 DOX (2 <sup>1</sup> / <sub>2</sub> X .113)			
IRC Connection C       IRC Connection 7a       IRC Connection 7b       IRC Connection 7a       IRC		100.0	4 10d box (3 x .128)	4 10d box (3 x .128)	4 10d box (3 x .128)	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			
4       16d box (3 <sup>1</sup> / <sub>2</sub> x.135)       3       10d box (3 x.148)       3       10d box (3 <sup>1</sup> / <sub>2</sub> x.135)       4       16d box (3 <sup>1</sup> / <sub>2</sub> x.135)         4       3 x.131       4       3 x.131       4       3 x.131       4       3 x.131         4       10d box (3 x.128)         Jack Rafter to hip (toe-nail)       IBC Connection 7z       IBC Connection 7b       IBC Connection 7b       IBC Connection 7b       16d box (3 <sup>1</sup> / <sub>2</sub> x.135)       4       10d box (3 x.148)       5       3 x.131         3       10d com (3 x.148)       3       10d com (3 x.148)       3       10d com (3 x.148)       4       12d com (3 <sup>1</sup> / <sub>2</sub> x.162)       5       31/4 x.131         4       3 x.131       4       3 x.131       4       10d box (3 x.148)       3       10d com (3 x.148)       5       8 d com (2 <sup>1</sup> / <sub>2</sub> x.131)         4       3 x.131       4       3 x.131       4       3 x.131       4       16d box (3 <sup>1</sup> / <sub>2</sub> x.135)       4		IRC Connection 6	IRC Connection /a	IRC Connection 7a	IRC Connection 7a	5 3 X .131 6 60 com (2 X .113)			
4       10d box (31/2 x.13s)       4       10d box (3/2 x.13s)       4       10d box (3/2 x.13s)         Jack Rafter to hip (toe-nail)       IBC Connection 27a       IBC Connection 7b       10d com (3 x.148)       3       10d com (3 x.148)       3       10d com (3 x.148)       5       31/4 x.131         4       10d box (3 x.128)       4       10d box (3 x.128)       4       10d box (3 x.148)       3       10d com (3/x x.148)       5       31/4 x.131         3       10d com (3 x.148)       3       10d com (3 x.148)       3       10d com (3 x.148)       5       8d com (2 <sup>1</sup> /2 x.131)         4       3 x.131       3       16d box (3 <sup>1</sup> /2 x.135)       4       16d box (3 <sup>1</sup> /2 x.135)       4       10d box (3 x.148)       5       8d com (2 <sup>1</sup> /2 x.131)         4       3 x.131       4       3 x.131       4       3 x.131       4       3 x.131       4       10d box (3 x.148)       5       8d com (2 <sup>1</sup> /2 x.131)         4       104 box (3 x.128)       4       104 box (3 x.148)       5       8d com (2 <sup>1</sup> /2 x.131)       4       104 box (3 x.128)       4       104 box (3 x.128)       4       104 box (3 x.128)       4       104 box (3 x.128)<		4 160 DOX (31/2 X .135)	3 100 com (3 x . 148)	3 100 com (3 x . 148)	3 100 com (3 x . 148)	-			
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			4 160 DOX (31/2 X .135)	4 160 DOX (31/2 X 135)	4 160 DOX (31/2 X . 135)	-			
Jack Rafter to hip (toe-nail)       IBC Connection 27a       IBC Connection 7b       IBC Connection 7a       IBC Connection 7a <thibc 7a<="" connection="" th="">       IBC Connection 7a</thibc>			4 5 X.151	4 3 X . 131	4 3 X.131	-			
Image: constraint of the probability o			4 10d box (2 x 128)	4 10d box (2 x 128)	4 10d box (2 x 128)				
Jack Rafter to hip (toe-nail)       IBC Connection 7z       IBC Connection 7b       IBC Connection 7b       IBC Connection 7b       3       16d com (3'/2 x.162)       5       31/4 x.131         3       10d com (3 x.148)       3       10d com (3 x.148)       3       10d com (3 x.148)       4       12d com (3'/2 x.162)       5       31/4 x.131         4       3 x.131       3       16d box (3'/2 x.135)       4       16d box (3'/2 x.135)       4       10d com (3 x.148)       5       8d com (2'/2 x.131)         4       3 x.131       4       3 x.131       4       3 x.131       4       10d com (3 x.148)       5       8d com (2'/2 x.131)         4       10d box (3 x.128)         4       16d box (3'/2 x.135)       3       10d com (3 x.148)       3       10d com (3 x.148)       3       10d com (3 x.148)         4       16d box (3'/2 x.135)       4       16d box (3'/2 x.135)       4       16d box (3'/2 x.135)       4       16d com (3'/2 x.135)         Jack rafter to hip (end/face nail)       IBC Connection 7a       IBC Connection 7a       IBC Connection 7a       IBC Connection 7a       16d com (3'/2 x.162)       4       10d box (3 x.128)			4 100 00x (3 x 120)	4 100 box (3 x . 128)	4 TOU DOX (3 X . 128)				
$\frac{3}{4} \frac{10d \text{ com } (3 \text{ x.} 148)}{3} \frac{3}{10d \text{ com } (3 \text{ x.} 148)} \frac{3}{4} \frac{10d \text{ com } (3 \text{ x.} 148)}{3} \frac{3}{10d \text{ com } (3 \text{ x.} 148)} \frac{3}{4} \frac{10d \text{ com } (3 \text{ x.} 148)}{4} \frac{4}{4} \frac{12d \text{ com } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{12d \text{ com } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ box } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ com } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ com } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ com } (3^1/_2 \text{ x.} 135)}{4} \frac{4}{4} \frac{10d \text{ com } (3^1/_2 \text{ x.} 128)}{4} \frac{10d \text{ com } (3^1/_2 \text{ x.} 148)}{4} \frac{10d \text{ com } (3^1$	Jack Rafter to hip (toe-nail)	IBC Connection 27a	IBC Connection 7b	IBC Connection 7b	IBC Connection 7b	3 16d com (3 <sup>1</sup> / <sub>2</sub> x 162) 5 31/4 x 131			
4       3 x.131       3       16d box (3 <sup>1</sup> / <sub>2</sub> x.135)       4       16d box (3 <sup>1</sup> / <sub>2</sub> x.135)       4       10d com (3 x.148)       5       8d com (2 <sup>1</sup> / <sub>2</sub> x.131)         4       3 x.131       4       3 x.131       4       3 x.131       4       3 x.131       4       10d box (3 x.128)       4       10d box (3 x.148)       3       10d com (3 x.148)       3       10d com (3 x.148)       3       10d com (3 x.148)       4       10d box (3 x.128)       4       10d com (3 <sup>1</sup> / <sub>2</sub> x.162)       2       16		3 10d com (3 x .148)	3 10d com (3 x .148)	3 10d com (3 x .148)	3 10d com (3 x .148)	4 12d com (3 <sup>1</sup> / <sub>4</sub> x .148) 5 3 x .131			
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		4 3 x .131	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	4 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	4 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	4 10d com (3 x .148) 5 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)			
IRC Connection 6       IRC Connection 7a       IRC Connection 7a       IRC Connection 7a         4       16d box (3'/2 x.135)       3       10d com (3 x.148)       3       10d com (3 x.148)         4       16d box (3'/2 x.135)       3       10d com (3 x.148)       3       10d com (3 x.148)         4       16d box (3'/2 x.135)       4       16d box (3'/2 x.135)       4       16d box (3'/2 x.135)         4       16d box (3'/2 x.135)       4       16d box (3'/2 x.135)       4       16d box (3'/2 x.135)         Jack rafter to hip (end/face nail)       IBC Connection 27b       IBC Connection 7a       IBC Connection 7a       IBC Connection 7a         2       16d com (3'/2 x.162)       2       16d com (3'/2 x.162)       2       16d com (3'/2 x.162)       4         3       3 x.131       3       3 x.131       3       3 x.131       3       3 x.131         3       10d box (3 x.128)       3       10d box (3 x.128)       3       16d com (3'/2 x.162)       4       16d box (3'/2 x.162)         2       16d com (3'/2 x.162)       2       16d com (3'/2 x.162)       3       16d box (3'/2 x.162)       4       16d box (3'/2 x.135)         3       3 x.131       3       3 x.131       3       3 x.131       3			4 3 x .131	4 3 x .131	4 3 x .131	4 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)			
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			4 10d box (3 x .128)	4 10d box (3 x .128)	4 10d box (3 x .128)				
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		IRC Connection 6	IRC Connection 7a	IRC Connection 7a	IRC Connection 7a				
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		4 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	3 10d com (3 x .148)	3 10d com (3 x .148)	3 10d com (3 x .148)				
$\frac{4}{4} \frac{3 \times .131}{3 \times .131} \frac{4}{4} \frac{3 \times .131}{100 \text{ box}} \frac{4}{3 \times .131} \frac{3 \times .131}{4} \frac{4}{100 \text{ box}} \frac{3}{3 \times .128} \frac{4}{100 \text{ box}} \frac{3}{3 \times .128} \frac{4}{100 \text{ box}} \frac{100 \text{ box}}{3 \times .128} \frac{4}{100 \text{ box}} \frac{100 \text{ box}}{3 \times .128} \frac{3}{160 \text{ com}} \frac{160 \text{ com}}{3^{1/2} \times .162} \frac{4}{100 \text{ box}} \frac{100 \text{ com}}{3 \times .148} \frac{3}{100 \text{ box}} \frac{3}{3 \times .131} \frac{100 \text{ box}}{3 \times .131} \frac{3}{3 \times .131} \frac{3}{100 \text{ box}} \frac{3}{3 \times .131} \frac{100 \text{ box}}{3 \times .131} \frac{3}{3 \times .131} \frac{3}{100 \text{ box}} \frac{3}{3 \times .131} \frac{100 \text{ box}}{3 \times .131} \frac{3}{3 \times .131} \frac{3}{100 \text{ box}} \frac{3}{3 \times .131} \frac{100 \text{ box}}{3 \times .131} \frac{3}{3 \times .131} \frac{3}{$		· · · · · ·	4 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	4 16d box (3 <sup>1</sup> / <sub>2</sub> x 135)	4 16d box (3 <sup>1</sup> / <sub>2</sub> x 135)	1			
IBC Connection 27b       IBC Connection 7a       IBC Connection 7a       IBC Connection 7a         Jack rafter to hip (end/face nail)         2       16d com $(3^{1/2} x.162)$ 2       16d com $(3^{1/2} x.162)$ 2       16d com $(3^{1/2} x.162)$ 4       10d box $(3 x.128)$ 3       3 x.131       3       3 x.131       3       3 x.131       3       16d com $(3^{1/2} x.162)$ 4       10d box $(3^{1/2} x.162)$ 4       10d com $(3 x.148)$ IBC Connection 7a       IBC Connection 7a       IBC Connection 7a       IBC Connection 7a       3       16d com $(3^{1/2} x.162)$ 4       10d com $(3 x.148)$ 2       16d com $(3^{1/2} x.162)$ 2       16d com $(3^{1/2} x.162)$ 2       16d com $(3^{1/2} x.162)$ 4       12d com $(3^{1/2} x.148)$ 4       16d box $(3^{1/2} x.135)$ 3       10d box $(3 x.128)$ 3       3 x.131       3       3 x.131       3       3 x.131         3       10d box $(3^{1/2} x.162)$ 2       16d com $(3^{1/2} x.162)$ 2       16d com $(3^{1/2} x.162)$ 4       12d com $(3^{1/2} x.162)$ 4       16d box $(3^{1/2} x.135)$ 2       16d com $(3^{1/2} x.162)$ 2 <td></td> <td></td> <td>4 3 x 131</td> <td>4 3 x 131</td> <td>4 3 x 131</td> <td></td>			4 3 x 131	4 3 x 131	4 3 x 131				
Jack rafter to hip (end/face nail)       IBC Connection 27b       IBC Connection 7a       IIC connection 7b			4 10d box (3 x 128)	4 10d box (3 x 128)	4 10d box (3 x 128)	-			
$\frac{100 \text{ contraction 2 rb}}{100 \text{ contraction 2 rb}} = \frac{100 \text{ contraction 2 rb}}{100 \text{ contraction 2 rb}} = \frac{100 \text{ contraction 2 rb}}{100 \text{ contraction 2 rb}} = \frac{100 \text{ contraction 2 rb}}{100 \text{ contraction 2 rb}} = \frac{100 \text{ contraction 2 rb}}{100 \text{ contraction 2 rb}} = \frac{100 \text{ contraction 2 rb}}{100 \text{ contraction 2 rb}} = \frac{100 \text{ contraction 2 rb}}{100 \text{ contraction 2 rb}} = \frac{100 \text{ contraction 2 rb}}{100 \text{ contraction 2 rb}} = \frac{100 \text{ contraction 2 rb}}{100 \text{ contraction 2 rb}} = \frac{100 \text{ contraction 2 rb}}{100 \text{ contraction 2 rb}} = \frac{100 \text{ contraction 2 rb}}{100 \text{ contraction 3 lb}} = \frac{100 \text{ contraction 2 rb}}{100 \text{ contraction 2 rb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = \frac{100 \text{ contraction 3 lb}}{100 \text{ box (3 lb}} = $	lack rafter to hip (end/face nail)	IBC Connection 27h	IBC Connection 7a	IBC Connection 7a	IBC Connection 7a	$3  16d \text{ com } (31/_{\circ} \times 162)  4  10d \text{ com } (3 \times 148)$			
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	sack raiter to hip (churace hair)	2 16d com $(31/_2 \times 162)$	2 16d com $(31/_2 \times 162)$	2 16d com $(31/2 \times 162)$	2 16d com $(31/_2 \times 162)$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			
Image: Connection 6       Image: Connection 7b       Image: Connection 7b       Image: Connection 7b       Image: Connection 7b         4       16d box (3 <sup>1</sup> / <sub>2</sub> x.135)       2       16d com (3 <sup>1</sup> / <sub>2</sub> x.162)       2       16d com (3 <sup>1</sup> / <sub>2</sub> x.162)       2       16d com (3 <sup>1</sup> / <sub>2</sub> x.162)         3       3 3 x.131       3       3 x.131       3       3 x.131		3 3 x 131	3 3 x 131	3 3 x 131	$\frac{2}{3}$ 16d box (3 <sup>1</sup> / <sub>2</sub> x 135)				
IRC Connection 6         IRC Connection 7b         IRC Connection 7b         IRC Connection 7b           4         16d box (3 <sup>1</sup> / <sub>2</sub> x.135)         2         16d com (3 <sup>1</sup> / <sub>2</sub> x.162)         2         16d com (3 <sup>1</sup> / <sub>2</sub> x.162)         2           3         3         16d box (3 <sup>1</sup> / <sub>2</sub> x.135)         3         16d box (3 <sup>1</sup> / <sub>2</sub> x.162)         2         16d com (3 <sup>1</sup> / <sub>2</sub> x.162)         2           3         3         3 x.131         3         3 x.131         3         3 x.131			3 10d box (3 x 128)	3 10d box (3 x .128)	3 3 x 131	1			
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$				0 100 000 (0 0 1120)	3 10d box (3 x .128)	-			
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		IRC Connection 6	IRC Connection 7b	IRC Connection 7b	IRC Connection 7b				
3         16d box (3 <sup>1</sup> / <sub>2</sub> x.135)         3         16d box (3 <sup>1</sup> / <sub>2</sub> x.135)         3         16d box (3 <sup>1</sup> / <sub>2</sub> x.135)           3         3 x.131         3         3 x.131         3         3 x.131		4 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	1			
3 3 x.131 3 3 x.131 3 3 x.131		(********	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)				
			3 3 x .131	3 3 x .131	3 3 x .131				
Y         N         N         3         10d box (3 x .128)         3         10d box (3 x .128)         3         10d box (3 x .128)			3 10d box (3 x .128)	3 10d box (3 x .128)	3 10d box (3 x .128)				
3 10d box (3 x 128) 3 10d box (3 x 128) 3 10d box (3 x 128)			3 3 x .131 3 10d box (3 x 128)	3 3 x .131 3 10d box (3 x 128)	3 3 x .131 3 10d box (3 x 128)	-			

#### TABLE 12—FASTENING SCHEDULE\_CEILING AND ROOF FRAMING (cont.)

	MINIMU	M FASTENING REQUIREME	NTS PRESCRIBED IN THE	CODE	1	ALTERNATIVE FASTE	NIN	G REQUIREMENTS
	2012 IBC	2015 IBC	2018 IBC	2021 IBC (1)		-		
CONNECTION	Table 2304.9.1	Table 2304.10.1	Table 2304.10.1	Table 2304.10.2	_	All nails are o	arb	on steel. <sup>(1)</sup>
DESCRIPTION	2012 IRC	2015 IRC	2018 IRC	2021 IRC <sup>(1)</sup>				
	# Nail Size [Type (inch)]	#	Nail Size [Type (inch)]	#	Nail Size [Type (inch)]			
Joist to sill or girder (toe-nail)	IBC Connection 1	IBC Connection 22	IBC Connection 21	IBC Connection 21	3	16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	3	8d com (2 <sup>1</sup> / <sub>2</sub> x .131)
nail thru each side	3 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	3 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	3 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	3 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	3	12d com (31/4 x .148)	4	3 <sup>1</sup> / <sub>4</sub> x .120
\	3 3 x .131	3	10d com (3 x .148)	4	3 x .120			
	•	3 10d box (3 x .128)	3 10d box (3 x .128)	3 10d box (3 x .128)	3	16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	5	8d box (2 <sup>1</sup> / <sub>2</sub> x .113)
Л				4 8d box (2 <sup>1</sup> / <sub>2</sub> x .113)	3	3 <sup>1</sup> / <sub>4</sub> x .131	5	2 <sup>3</sup> / <sub>8</sub> x .113
	IRC Connection 24	IRC Connection 21	IRC Connection 21	IRC Connection 22	3	3 x .131	5	6d com (2 x .113)
	3 8d box (2 <sup>1</sup> / <sub>2</sub> x .113)	3 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	3 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	3 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)				
		3 3 x .131	3 3 x .131	3 3 x .131				
		3 10d box (3 x .128)	3 10d box (3 x .128)	3 10d box (3 x .128)				
		4 8d box (2 <sup>1</sup> / <sub>2</sub> x .113)	4 8d box (2 <sup>1</sup> / <sub>2</sub> x .113)	4 8d box (2 <sup>1</sup> / <sub>2</sub> x .113)				
Rim joist to top plate	IBC Connection 12	IBC Connection 23	IBC Connection 22	IBC Connection 22		@ 6" o.c.		@ 4" o.c.
(toe-nail)	@ 6" o.c.	@ 6" o.c.	@ 6" o.c.	@ 6" o.c.	1	16d com (31/2 x .162)	1	3 <sup>1</sup> / <sub>4</sub> x .120
	1 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	1 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	1 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	1 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	1	12d com (31/4 x .148)	1	3 x .120
	1 3 x .131	1	10d com (3 x .148)	1	8d box (21/2 x .113)			
		1 10d box (3 x .128)	1 10d box (3 x .128)	1 10d box (3 x .128)	1	16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	1	2 <sup>3</sup> / <sub>8</sub> x .113
				@ 4" o.c.	1	3¹/₄ x .131		@ 3" o.c.
				1 8d box $(2^{1}/_{2} \times .113)$	1	3 x .131	1	6d com (2 x .113)
	IRC Connection 25	IRC Connection 22	IRC Connection 22	IRC Connection 23	1	8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	1	2 <sup>1</sup> / <sub>4</sub> x .099
	@ 6″ O.C.	@ 6″ O.C.	@ 6″ O.C.	@ 6″ o.c.	-			
	1 80 box (21/2 x .113)	1 8d com $(2^{1}/_{2} \times .131)$	1 8d com $(2^{1}/_{2} \times .131)$	1 8d com $(2^{1}/_{2} \times .131)$	-			
		1 3X.131	1 3 X . 131	1 3X.131	-			
					-			
		1 8d box $(2^{1}/_{2} \times .113)$	1 8d box $(2^{1}/_{2} \times .113)$	1 8d box $(2^{1}/_{2} \times .113)$				
Joist to band joist (face/end nail)	IBC Connection 29	IBC Connection 29	IBC Connection 28	IBC Connection 28	3	16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	4	3 <sup>1</sup> / <sub>4</sub> x .131
$\overline{A}$	3 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	3 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	3 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	3 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	4	12d com (3 <sup>1</sup> / <sub>4</sub> x .148)	4	3 x .131
	4 3 x .131	4	10d com (3 x .148)	6	3 <sup>1</sup> / <sub>4</sub> x .120			
		4 10d box (3 x .128)	4 10d box (3 x .128)	4 10d box (3 x .128)	4	16d box (31/2 x .135)	6	3 x .120
		IRC Connection 26	IRC Connection 26	IRC Connection 27				
		3 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	3 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	3 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)				
→ □		4 3 x .131	4 3 x .131	4 3 x .131	_			
		4 10d box (3 x .128)	4 10d box (3 x .128)	4 10d box (3 x .128)				

#### TABLE 13—FASTENING SCHEDULE-FLOOR FRAMING

	MINIMU	JM FASTENING REQUIREM	ENTS PRESCRIBED IN THE	CODE	ALTERNATIVE FASTENING REQUIREMENTS
	2012 IBC	2015 IBC	2018 IBC	2021 IBC (1)	
CONNECTION	Table 2304.9.1	Table 2304.10.1	Table 2304.10.1	Table 2304.10.2	All nails are carbon steel. <sup>(1)</sup>
DESCRIPTION	2012 IRC	2015 IRC	2018 IRC	2021 IRC (1)	
	# Nail Size [Type (inch)]	# Nail Size [Type (inch)] # Nail Size [Type (inch)]			
Built up girder or beam	IBC Connection 24	IBC Connection 27	IBC Connection 26	IBC Connection 26	face nail at top and bottom, staggered on opposite sides
		face nail at top and bottom, s	taggered on opposite sides		@ 32" o.c.
	@ 32" o.c.	@ 32" o.c.	@ 32" o.c.	@ 32" o.c.	1 20d com (4 x .192)
	1 20d com (4 x .192)	1 20d com (4 x .192)	1 20d com (4 x 192)	1 20d com (4 x 192)	@ 24" o.c.
	@ 24" o.c.	@ 24" o.c.	@ 24" o.c.	@ 24" o.c.	1 16d com $(3^{1}/_{2} \times .162)$ 1 16d box $(3^{1}/_{2} \times .135)$
	1 3 x .131	1 12d com (3 <sup>1</sup> / <sub>4</sub> x .148) 1 3 <sup>1</sup> / <sub>4</sub> x .131			
		1 10d box (3 x .128)	1 10d box (3 x .128)	1 10d box (3 x .128)	1 10d com (3 x .148) 1 3 x .131
		AND at each end o	r splice (face nail)		@ 16" o.c.
	2 20d com (4 x .192)	1 3 <sup>1</sup> / <sub>4</sub> x .120 1 3 x .120			
	3 3 x .131	AND at each end or splice (face nail)			
		3 10d box (3 x .128)	3 10d box (3 x .128)	3 10d box (3 x .128)	2 20d com (4 x .192) 3 16d box ( $31/_2$ x .135)
	IRC Connection 30	IRC Connection 27	IRC Connection 27	IRC Connection 28	$3 160 \text{ com} (31/2 \times .162) 3 3^{1/4} \times .131$
$\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{$	@ 22"	face hall at top and bottom s	maggered on opposite side	@ 22" a a	3 12d com (3 <sup>1</sup> / <sub>4</sub> x.148) 3 3 x.131
	<u> </u>	$(4 \times 10^{2})$	<b>U 32 0.C.</b>	<u>4 x 192</u>	3 100 colli (3 x .146) 3 3 3 4 x .120
	1 100 00x (3 x .128)		@ 24" o c	@ 24" o c	4 3 X.120
		1 3 x 131	1 3 × 131	1 3 × 131	
		1 10d box (2 x 129)	1 10d box 2 x 129	1 10d box (2 x 129)	-
				1 100 D0X (3 X .128)	
	2 10d box (2 x 128)		2 20d age (4 x 102)	2 20d com (4 x 102)	
	2 100 D0x (3 x .128)	2 200 com (4 x . 192)	2 200 com (4 x . 192)	2 200 com (4 x . 192)	-
		3 3 X .131	3 3 X . 131	3 3 X .131	_
		3 10d box (3 x .128)	3 10d box (3 x .128)	3 10d box (3 x .128)	
Ledger strip (face nail)	IBC Connection 30	IBC Connection 28	IBC Connection 27	IBC Connection 2/	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
	3 160 COTT (31/2 X . 162)	3 100 COTT (31/2 X . 102)	3 100 COIII (31/2 X . 102)	3 160 COIII (31/2 X . 162)	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
	4 5 X.151	4 3 X 131 4 10d box (3 x 128)	4 3 X . 131 4 10d box (3 x 128)	4 100 D0X (37/2 X .133)	4 100 colli (5 x 146) 6 574 x 120
li.		4 100 000 (3 x 1120)	4 100 000 (3 x 120)	4 10d box (3 x 128)	5 3 <sup>1</sup> / <sub>4</sub> x 131
	IRC Connection 31	IRC Connection 28	IRC Connection 28	IRC Connection 29	0 0/4 x 101
	3 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	3 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	3 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	3 16d com (3 <sup>1</sup> / <sub>2</sub> x .162)	
•		4 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	4 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	4 16d box (3 <sup>1</sup> / <sub>2</sub> x .135)	
		4 3 x .131	4 3 x .131	4 3 x .131	
		4 10d box (3 x .128)	4 10d box (3 x .128)	4 10d box (3 x .128)	
Bridging to joist, rafter or truss	IBC Connection 2	IBC Connection 30	IBC Connection 29	IBC Connection 29	Nails at each end
each end (toe-nail)	Nails (total)	Nails at each end	Nails at each end	Nails at each end	2 16d com (3 <sup>1</sup> / <sub>2</sub> x .162) 3 3 <sup>1</sup> / <sub>4</sub> x .120
	2 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	2 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	2 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	2 8d com (2 <sup>1</sup> / <sub>2</sub> x .131)	2 12d com (3 <sup>1</sup> / <sub>4</sub> x .148) 3 3 x .120
1	2 3 x .131	2 10d com (3 x .148) 3 8d box (2 <sup>1</sup> / <sub>2</sub> x .113)			
		2 10d box (3 x .128)	2 10d box (3 x .128)	2 10d box (3 x .128)	2 16d box (3 <sup>1</sup> / <sub>2</sub> x .135) 3 2 <sup>3</sup> / <sub>8</sub> x .113
		IRC Connection 29	IRC Connection 29	IRC Connection 30	2 3 <sup>1</sup> / <sub>4</sub> x .131 3 6d com (2 x .113)
		2 10d box (3 x .128)	2 8d com $(2^{1}/_{2} \times .131)$	2 8d com $(2^{1}/_{2} \times .131)$	$2 3 x.131$ $4 2^{1}/_{4} x.099$
			2 3 x .131	2 3 x .131	2 8d com $(2^{1}/_{2} \times .131)$
			2 10d box (3 x .128)	2 10d box (3 x .128)	

#### TABLE 13—FASTENING SCHEDULE-FLOOR FRAMING (cont.)

#### TABLE 14—SUMMARY OF ALTERNATIVE FASTENING DESIGNS DESCRIBED IN TABLES 11 THROUGH 13<sup>1,2,3,4</sup>

	NAIL SIZE (DIAMETER X LENGTH) (inches)												
CONNECTION	3 <sup>1</sup> / <sub>2</sub> x 0.162	3 <sup>1</sup> / <sub>4</sub> x 0.148	3 x 0.148	3 <sup>1</sup> / <sub>2</sub> x 0.135	3 <sup>1</sup> / <sub>4</sub> x 0.131	3 x 0.131	2 <sup>1</sup> / <sub>2</sub> x 0.131	3 <sup>1</sup> / <sub>4</sub> x 0.120	3 x 0.120	2 <sup>1</sup> / <sub>2</sub> x 0.113	2³/ <sub>8</sub> x 0.113	2 x 0.113	2 <sup>1</sup> / <sub>4</sub> x 0.099
				W	all Framin	ng							
Double studs (face nail)	24"	16"	16"	16"	16"	16"	8"	8"	8"				
At braced walls	16"	12"	12"	12"	12"	12"	0.0.	8"	8"				
	0.C.	0.C.	0.C.	0.C.	0.C.	0.C.		0.C.	0.C.				
Abutting studs at corners and	12"	12"	12"	12"	0"	0"	8"	8"	8"				
Typical	0.C.	0.C.	0.C.	0.C.	8 0.C.	8 0.C.	0.C.	0.C.	0.C.				
At braced walls	12"	12"	12"	12"	12"	12"		8"	8"				
	0.C.	0.C.	0.C.	0.C.	0.C.	0.C.		0.C.	0.C.				
Built up header 2" to 2" w/ 1/2" spacer	12"	8" o.c.	8" o.c.	12"	8" o.c.	8" o.c.		8"	8"				
Continuous header to stud	0.0.			0.0.	4	4		- 0.0. -	0.0.	0	0		
(toe nail)	3	4	4	4	4	4	4	5	5	6	6		
Adjacent full-height stud to end of	3	4	4	4	4	4		5	5				
Double top plates to each other (face	16"	12"	12"	12"	12"	12"	8"		<b></b>				
nail)	0.C.	0.C.	0.C.	0.C.	0.C.	0.C.	0.C.	8" o.c.	8" o.c.				
Top plate to top plate at end joint (lap		40	40	40	40	10							
(each side of joint)	8	12	12	12	12	12							
For 2015 IRC Connection 13b	10	12	12	12									
Top plate overlap at corpers and													
intersections (face nail)	2	3	3	3	3	3		4	4				
Sole plate to joist or blocking not at	16"	12"	12"	12"	12"	12"		8" o.c.	8" o.c.				
braced wall panels	0.C.	0.C.	0.C.	0.C.	0.C.	0.C.		1.0	5 @				
braced wall panel	16"	16"	16"	16"	16"	16"		16"	16"				
· .	0.C.	0.C.	0.C.	0.C.	0.C.	0.C.		0.C.	0.C.				
Top or sole plate to stud (end nail)	3	3	3	3	4	4	4	4	4				
Stud to top or sole plate (toe-nail)	3	4	4	4	4	4	4	5	5	6	6	6	
Diagonal bracing to stud/plate	2	2	2	2	2	2	2	3	3	3	3		4
	_	_	_	Ceiling	and Roof	Framing	_	-	-	-	-		
Blocking between joists or Rafter to	0	0	0				0			-			
Top Plate (toe-nail) (each end)	3	3	3	3	3	3	3	4	4	5			
Blocking between rafters or truss, not at wall top plate (toe-nail)	2	2	2	2	2	2	2						
Blocking between rafter or truss, not at wall top plate (end pail)	2	3	3	3	3	3		4	4				
Flat blocking to truss and web filler –	1@	1@	1@	1@	1@	1@							
face nail	6" o.c.	6" o.c.	6" o.c.	6" o.c.	6" o.c.	6" o.c.							
Ceiling joist to plate <sup>5</sup>	3	3	3	3	3	3	3	4	4	5	5	5	
thrust)	3	4	4	4	4	4		5	5				
Collar tie to rafter	3	3	3	4	4	4	5	5	5	6			
Roof rafter to plate (toe-nail) (+ connectors per IBC)	3	3	3	3	4	4	4	4	4				
Roof rafter to 2-by ridge beam (end-	3	4	4	4	4	4		5	5				
Roof rafter to 2-by ridge beam (toe-	3	4	4	4	5	5	5	6	6	6	6	6	
nail ratter to beam)	°				5	5	5		-		-	-	
Jack rafter to hip (toe-hail)	3	4	4	4	5	Э	5						
		<u> </u>	<u> </u>	FI	oor Frami	ng							
Joist to sill or girder (toe-nail)	3	3	3	3	3	3	3	4	4	5	5	5	
Rim joist to top plate(Toe-nail)	6" o.c.	6" o.c.	6" o.c.	6" o.c.	6" o.c.	6" o.c.	6" o.c.	4" o.c.	4" o.c.	4" o.c.	4" o.c.	3" o.c.	3" o.c.
Built-up girders & beams	3 24"	4 24"	4 24"	4 24"	4 24"	4 24"		ь 16"	ช 16"				
Face-nail @ top and bottom	0.C.	0.C.	0.C.	0.C.	0.C.	0.C.		0.C.	0.C.				
PLUS # at ends or splice	3	3	3	3	3	3		3	4				
Ledger Strip Bridging to loist (too poil)	3	4	4	4	5	5	6	6	6	0	2	2	Α
	۷	2	2	2	۷	2		3	3	3	3	3	4

For **SI:** 1 inch = 25.4 mm

<sup>1</sup>Alternative fastening requirements shown in this table have been evaluated as alternatives to the IBC and IRC. They can be used under earlier editions of the IBC and IRC where the prescriptive fastening requirements are no worse than those shown in the Tables 11 through 13.

<sup>2</sup>This fastening schedule applies to framing members having an actual thickness of 1<sup>1</sup>/<sub>2</sub>" (nominal "2-by" lumber).

<sup>3</sup>Fastening schedule only applies to buildings of conventional wood frame construction where wind or seismic analysis is not required by the applicable code. In areas where wind or seismic analysis is required, required fastening must be determined by structural analysis.

<sup>4</sup>Nails may be carbon steel (bright or galvanized).

#### APPENDIX A—REFERENCE DESIGN INFORMATION

# A1.0 Reference Design Values for Nailed Connections:

The information in this section is applicable to the nails listed in Appendix B of this report.

# A1.1 Source:

The equations shown here for nailed connections are found in the 2018, 2015 and 2012 ANSI/AWC National Design Specification (NDS) for Wood Construction.

# A1.2 Reference Lateral Design Values:

Reference lateral design values are based on the yielding of connections as wood fibers are crushed and/or fastener shanks are bent. Reference lateral design values are determined from the lowest resulting value from six yield limit equations. These equations and depictions of these yield modes are shown below:



where:

$$K_{1} = \sqrt{R_{e} + 2R_{e}^{2}(1 + R_{t} + R_{t}^{2}) + R_{t}^{2}R_{e}^{3}} - R_{e}(1 + R_{t})}$$

$$(1 + R_{e})$$

$$K_{2} = -1 + \sqrt{2(1+R_{e}) + \frac{2F_{yb}(1+2R_{e})D^{2}}{3F_{em}l_{m}^{2}}}$$

$$K_{3} = -1 + \sqrt{\frac{2(1+R_{e})}{R_{e}} + \frac{2F_{yb}(2+R_{e})D^{2}}{3F_{em}l_{s}^{2}}}$$

Reference lateral design value, lbf

$$= F_{em}/F_{es}$$

Ζ

Re

Im

ls

- Length of nail in main member (member holding point), inches
- Length of nail in side member, inches =
- Fem Dowel bearing strength of main member (member holding point), = psi [See 2018 and 2015 NDS Table 12.3.3 (2012 NDS Table 11.3.3)]
- Dowel bearing strength of side member, psi [See 2018 and 2015 Fes = NDS Table 12.3.3 (2012 NDS Table 11.3.3)]
- F<sub>yb</sub> D Bending yield strength of nail, psi (see Appendix B) =
  - = Nominal nail diameter, inch (see Appendix B)
- \_ R<sub>d</sub> = 2.2 for D  $\leq 0.17$ ", 10D +0.5 for 0.17 < D < 0.25
- Rt  $= I_m / I_s$

#### A1.3 Reference Withdrawal Design Values:

#### A1.3.1 Smooth or Deformed Shank, Carbon Steel (Bright or Galvanized) Nails:

The reference withdrawal design value per unit length of penetration of a smooth or deformed shank, carbon steel nail driven into the side grain (perpendicular to the fiber) of the wood is calculated as follows:

$$W = 1380 \ G^{5/2} D$$
 (Eq. A1.3.1)

Where:

W

- Nail reference withdrawal design value in pounds-force per lineal inch of penetration into the member holding the nail point.
- D = Nominal diameter of the nail shank in inches, for  $0.092 \le D \le 0.375$ .
- G = The assigned specific gravity of the wood found in Table A or the tables indicated below, as applicable:

For **SI:** 
$$W = 9.515 \ G^{5/2} D$$
 (Eq. A1.3.2)

Where:

- W = Nail reference withdrawal design value in Newtons per lineal millimeter of penetration into the member holding the nail point.
- D = Nominal diameter of the nail shank in millimeters, for  $2.33 \le D \le 9.525$ .
- G = The assigned specific gravity of the wood found in Table A or the tables indicated below, as applicable:

Code	Sawn Lumber	Wood Structural Panels
2021, 2018 and 2015 IBC	2018 and 2015 NDS Table 12.3.3A	2018 and 2015 NDS Table 12.3.3B
2012 IBC	2012 NDS Table 11.3.3A	2012 NDS Table 11.3.3B

### A1.3.2 Smooth or Deformed Shank, Stainless Steel Nails:

The reference withdrawal design value per unit length of penetration of a smooth or deformed shank, stainless steel nail driven into the side grain (perpendicular to the fiber) of the wood is calculated as follows:

$$W = 465 \ G^{3/2} D$$
 (Eq. A1.3.3)

Where:

- W = Nail reference withdrawal design value in pounds-force per lineal inch of penetration into the member holding the nail point.
- D = Nominal diameter of the nail shank in inches, for  $0.092 \le D \le 0.375$ .
- G = The assigned specific gravity of the wood found in Table A or the tables referenced in Section A1.3.1, as applicable.

For **SI**: 
$$W = 3.206 \ G^{3/2} D$$
 (Eq. A1.3.4)

Where:

- W = Nail reference withdrawal design value in Newtons per lineal millimeter of penetration into the member holding the nail point.
- D = Nominal diameter of the nail shank in millimeters, for  $2.33 \le D \le 9.525$ .
- G = The assigned specific gravity of the wood found in Table A or the tables referenced in Section A1.3.1, as applicable.

# TABLE A—ASSIGNED SPECIFIC GRAVITY AND DOWEL BEARING STRENGTH FOR SELECT WOOD SPECIES

0050/50	SPECIFIC	DOWEL-BEARING STRENGTH Fe (psi)						
SPECIES	<b>GRAVITY</b> <sup>1</sup>	Nailed Connections	Stapled Connections					
Aspen	0.39	2,950	3,850					
Balsam Fir	0.36	2,550	3,450					
Beech-birch-hickory	0.71	8,850	9,750					
Coast Sitka Spruce	0.39	2,950	3,850					
Douglas Fir-Iarch	0.50	4,650	5,550					
Douglas Fir-south	0.46	4,000	4,900					
Eastern Hemlock	0.41	3,200	4,100					
Eastern Hemlock-tamarack	0.41	3,200	4,100					
Eastern Hemlock-tamarack (north)	0.47	4,150	5,050					
Eastern softwoods	0.36	2,550	3,450					
Eastern Spruce	0.41	3,200	4,100					
Eastern White Pine	0.36	2,550	3,450					
Hem-Fir	0.43	3,500	4,400					
Mountain Hemlock	0.47	4,150	5,050					
Northern Pine	0.42	3,350	4,250					
Northern Species	0.35	2,400	3,300					
Northern White Cedar	0.31	1,900	2,800					
Ponderosa Pine	0.43	3,500	4,400					
Red Oak	0.67	7,950	8,850					
Red Pine	0.44	3,650	4,550					
Sitka Spruce	0.43	3,500	4,400					
Southern Pine	0.55	5,550	6,450					
Spruce-Pine-Fir	0.42	3,350	4,250					
Western Cedars	0.36	2,550	3,450					
Western Cedars (North)	0.35	2,400	3,300					
Western Hemlock	0.47	4,150	5,050					
Western White Pine	0.40	3,100	4,000					
White Oak	0.73	9,300	10,200					
Yellow Poplar	0.43	3,500	4,400					
	WOOD STRU	CTURAL PANELS						
Plywood: Structural 1, Marine	0.50	4,650	5,550					
Plywood: Other Grades	0.42	3,350	4,250					
Oriented Strand Board All Grades	0.50	4,650	5,550					

For **SI:** 1 psi =  $6.89 \text{ kN/m}^2$ .

 $^1\mbox{Specific gravity based on weight and volume when oven dry.}$ 

# A2.0 Reference Design Values for Stapled Connections:

# A2.1 Source:

The equations shown here for stapled connections are found in the ICC-ES Acceptance Criteria for Staples (AC201) dated March 2020 (editorially revised December 2020).

## A2.2 Reference Lateral Design Values:

Reference lateral design values for stapled connections must be determined using the minimum result from the equations shown below. These equations are relevant to wood-to-wood connections and to connections in which steel sheet metal is stapled to wood. The steel side member shall have sufficient thickness to prevent tearing of the steel sheet when loaded. Determination of dowel bearing strength of the sheet metal must consider Section I.2 of Appendix I of the NDS. Reference lateral design values are for normal load duration and must be multiplied by all applicable adjustment factors in accordance with the NDS.



where:

- Z = Reference lateral design value for staple (2 legs), lbf.
- $F_{em}$  = Dowel bearing strength of the main member, psi = 900 psi +  $F_e$  from 2018 and 2015 NDS Table 12.3.3 (2012 NDS Table 11.3.3) for D<<sup>1</sup>/<sub>4</sub>"
- $F_{es}$  = Dowel bearing strength of the side member, psi = 900 psi +  $F_e$  from 2018 and 2015 NDS Table 12.3.3 (2012 NDS Table 11.3.3) for D<<sup>1</sup>/<sub>4</sub>"
- d = Nominal wire diameter, inch, from Table 3.2.
- M = Minimum staple bending moment, in-lbs, from Table 3.2.
- $l_s$  = Length of staple in side member, inches.
- $I_m$  = Length of staple in main member, inches, (minimum of 12D, where D is the nominal wire diameter from Table 3.2).
- $K_D$  = Diameter coefficient for staple connections = 2.2

#### A2.3 Reference Withdrawal Design Values:

The reference withdrawal design value per unit length of penetration of staples driven into the side grain (perpendicular to the fiber) of the wood is calculated as follows:

$$W = 2760 \ G^{5/2} D$$
 (Eq. A1.3.5)

where:

- W = Staple reference withdrawal design value, in pounds-force per lineal inch of penetration into the member holding both staple legs.
- G = the assigned specific gravity of the wood (see Table A and Section A1.3.1).
- D = Nominal wire diameter, in inches, from Table 3.2.

For **SI**: 
$$W = 19.03 \ G^{5/2} D$$
 (Eq. A1.3.6)

where:

- W = Staple reference withdrawal design value, in Newtons per linear millimeter of penetration into the member holding both staple legs.
- G = The assigned specific gravity of the wood (see Table A and Section A1.3.1).
- D = Nominal wire diameter, in millimeters, from Table 3.2.

# A3.0 DESIGN INFORMATION FOR DEFLECTION CALCULATIONS FOR DIAPHRAGMS AND SHEAR WALLS

#### A3.1 NAILS:

To determine the deflection of sheathed diaphragms and shear walls constructed as described in Tables 6 through 10, refer to Sections 4.2.3 and 4.3.4 of the 2021 ANSI/AWC Special Design Provisions for Wind and Seismic (SDPWS), respectively (Sections 4.2.2 and 4.3.2 of SDPWS for the 2018, 2015 and 2012 IBC, respectively). For 0.120 inch nails, use the  $G_a$  values shown in the SDPWS for the 6d common nails.

### A3.2 STAPLES:

The staple deformation values shown in Table B must be used to determine diaphragm deflection in accordance with the IBC Section 2305.2 or shear wall deflection in accordance with the IBC Section 2305.3, as applicable.

Staple Gage	16		1	5	14			
Length (Inches)	1 <sup>1</sup> / <sub>2</sub>	2	1 <sup>3</sup> /4	<b>2</b> <sup>1</sup> / <sub>2</sub>	2	2 <sup>1</sup> / <sub>2</sub>		
Load Per Fastener <sup>2</sup> (Pounds)	Connection Deflection <sup>3</sup> (Inches)							
60	0.008	0.003	0.008	0.005	0.005	0.003		
80	0.016	0.006	0.016	0.010	0.011	0.006		
100	0.032	0.008	0.028	0.015	0.019	0.009		
120	0.055	0.010	0.048	0.025	0.032	0.014		
140	0.087	0.024	0.077	0.040	0.050	0.021		
160	0.135	0.037	0.118	0.060	0.077	0.031		
180	0.205	0.052	0.173	0.088	0.113	0.044		
200	—	0.092	0.244	0.127	0.157	0.060		
220	_	0.198	0.299	0.178	0.219	0.080		
240	—	—	0.346	0.220	0.287	0.097		

TABLE B—STAPLE DEFORMATION VALUES, en, FOR USE IN HORIZONTAL DIAPHRAGM
AMD SHEAR WALL DEFLECTION ANALYSIS <sup>1,4</sup>

For **SI:** 1 inch = 25.4 mm 1 lbf = 4.45 N.

<sup>1</sup>Increase deformation value by 20% for plywood grades other than Structural I sheathing.

<sup>2</sup>Load per fastener is the diaphragm's maximum shear per foot divided by the number of fasteners per foot at interior panel edges.

<sup>3</sup>Values must be doubled for unseasoned lumber.

<sup>4</sup>Values are for  $e_n$  in equations found in the IBC.

APPENDIX B
QUALIFIED FASTENERS BY LISTEE

TABLE B1—LISTEE INFORMATION AND INDEX TO LISTEE PRODUCT DESCRIPTIONS							
LISTEE NAME, PRODUCT BRAND	NAME(S), AND LISTEE ADDRESS	PAGE NO. FOR THE TABLE WITH LISTEE SPECIFIC PRODUCT DESCRIPTIONS					
American Fasteners Company L 11175 Inla Jurupa Valley, (	33						
Beck America, Inc. (Fasco, Fasco/E 105 Industria Muscle Shoals,	Beck, Beck Fastener Group Brands) al Park Drive Alabama 35661	33					
Building Material Distributors, 225 Elm Galt, Califo	Inc. (Master Fasteners Brand) Avenue rrnia 95632	34					
Falcon Fast 251 Nantuck Toronto, Onta CAN	eners Reg'd et Boulevard ario M1P 2P2 ADA	35					
Geekay V 11-70/5, 2 <sup>nd</sup> Flo Shivalyam Roa Hyderaba Ind	Vires Ltd. or GP Complex ad, Fathenagar id 500018 dia	36					
Guney C HSOSB Suleym No. 2 Saric Tur	celik A.S. an Demirel Bulv am, Adana key	36					
Huttig Building Produc 555 Maryville Univer St. Louis. Mi	Huttig Building Products (Huttig-Grip Brand) 555 Maryville University Drive, Suite 400 St Louis Missouri 63141						
Illinois Tool Works (Paslode, Lig 155 Harle Glenview, Il	37						
Inmax Sdn. Bhd. P.T. 6706 Tuanku Jaafar Industry Estate 71450 Seremban, Negeri Sembilan Malavsia	Inmax Group Inmax Sdn. Bhd. P.T. 6706 Tuanku Jaafar Industry Estate 71450 Seremban, Negeri Sembilan						
JAACO Corporatio 18080 NE 68th S Redmond, Was	JAACO Corporation (NailPro Brand) 18080 NE 68th Street, Suite C130 Redmond Washington 98052						
Koki Holdings America L 1111 Broad Braselton, G	38						
KYOCERA SENCO Industri 4270 Ivy Poir Cincinnati,	KYOCERA SENCO Industrial Tools, Inc. (Senco Brand) 4270 Ivy Pointe Boulevard Cincinnati, Ohio 45245						
Mid-Continent Steel and Wire (Mid-Cor 2700 Cent Poplar Bluff, M	Mid-Continent Steel and Wire (Mid-Continent Nail) (Magnum Fasteners Brand) 2700 Central Avenue Poplar Bluff, Missouri 63901						
National Nail 2964 Clydon Grand Rapio	40						
Oman Fast Plot No. 5117, Sohar PEIE Indus Sohar, Sultanate	40						
Peace Industries 1100 Hid Rolling Meadow	Peace Industries (Spotnails Brand) 1100 Hicks Road Rolling Meadows, Illinois 60008						
PrimeSource Building Products (Grip-Rit 1321 Gree Irving, Te:	e, Fasteners Unlimited, Fits Rite Brands) nway Drive kas 75038	41					
Shanghai Yued No.258, Jiar Fengjing Industrial F Shanghai 20	a Nails Co., Ltd. ngding Road Park, Jinshan District 01502 China	42					

(Continued on next page)

TABLE DI-LISTEE IN ORMATION AND INDEX TO LISTEE TRODUCT DESCRIPTIONS (CON.)							
LISTEE NAME, PRODUCT BRAND NAME(S), AND LISTEE ADDRESS	PAGE NO. FOR THE TABLE WITH LISTEE SPECIFIC PRODUCT DESCRIPTIONS						
Specialty Fastening Systems, Inc. (Specialty Fasteners Brand) 424 South Baggett Prairie Grove, Arkansas 72753	42						
Stanley Black and Decker Inc. (BOSTITCH, DEWALT, Craftsman Brands) 701 East Joppa Road Towson, Maryland 21286	43						

#### TABLE B1—LISTEE INFORMATION AND INDEX TO LISTEE PRODUCT DESCRIPTIONS (cont.)

#### General Notes for Appendix B:

- 1. For **SI:** 1 inch = 25.4 mm, 1 psi = 6.89 kPa.
- For each listee, nails having the diameter, shank type and finish type indicated in the applicable table are qualified for any length. Staples having the indicated diameter and finish are qualified for any leg length greater than 1<sup>1</sup>/<sub>2</sub> inches.
- 3. All nails are formed from carbon steel wire, unless designated in the tables below as stainless steel.
- 4. All nails with diameter of 0.099 inch or greater are qualified for use in framing. Nails with a diameter of 0.092 have only been evaluated for use in tension connections.
- 5. For a depiction of the various head styles, see Figure 1.

#### **Terminology**

LFRA = Lateral force resisting assembly: A diaphragm, shear wall or braced wall.

#### **Head Area Ratio Requirements**

- Y =6d = Meets the head requirements for use in sheathing attachment in LFRAs where a 6d common nail is prescribed in the code.
- Y =8d = Meets the head requirements for use in sheathing attachment in LFRAs where a 8d common nail is prescribed in the code.
- Y =10d = Meets the head requirements for use in sheathing attachment in LFRAs where a 10d common nail is prescribed in the code.
- Y =16d = Meets the head requirements for use in sheathing attachment in LFRAs where a 16d common nail is prescribed in the code.
- Y ### = Meets the head requirements for a 0.### diameter nail for use in sheathing attachment in shear walls and diaphragms in accordance with Tables 6 through 9 of this report.
- N = Not qualified for use in sheathing attachment in LFRAs.
- n/a = Nail size is not prescribed in the code or listed in the diaphragm tables in this report for use in LFRAs. Use of Metal Hardware Nails in LFRAs is outside the scope of this report.

#### Shank Type

- S = Smooth shank nail
- R = Ring shank nail
- Sc = Screw shank nail

#### Finish/ Coating Types

- The fasteners are carbon steel, "bright" (ungalvanized, uncoated). Х = н Hardened (Bright) = Bending yield strength complies with Table S1.2 of ASTM F1667. = Bright, heat treated or hardened nail (may be the full nail or only a portion of the nail, such as the tip; compliance with Table S1.2 of HT = F1667 has not been evaluated) SS = Stainless Steel HDG Hot-dipped galvanized, complying with ASTM A153 Class D or ASTM A641 Class 3S. = HHDG = Hardened and hot dip galvanized (Bending yield strength complies with Table S1.2 of ASTM F1667; galvanization complies with ASTM A153 Class D or ASTM A641 Class 3S.) HTHDG = Heat Treated or hardened, and hot dip galvanized (Hardening may affect the full nail or only a portion of the nail, such as the tip; nails comply with Table S1.1 of F1667, but compliance with Table S1.2 of F1667 has not been evaluated. Galvanization complies with ASTM A153 Class D.) EG Electrogalvanized, complying with ASTM A641, Class 1. = HEG Hardened and electrogalvanized (Bending yield strength complies with Table S1.2 of ASTM F1667; galvanization complies with ASTM = A641 Class 1.)
- MG = Mechanically galvanized in accordance with ASTM B695, Class 40.
- P# = Denotes a proprietary coating addressed in an ICC-ES evaluation report, as follows: P1 = ThickCoat<sup>™</sup> addressed in ESR-1482.

AMERICAN FASTENERS COMPANY LTD.								
			NAILS (Brand name:	AMERICAN FASTE	ENERS)			
TYPE OF COLLATION	NOMINAL DIAMETER (inch)	HEAD STYLE	MEETS HEAD AREA RATIO REQUIREMENTS FOR USE IN LFRAS	SHANK TYPE	FINISH/ COATING	SPECIFIED BENDING YIELD STRENGTH, <i>Fyb</i> (psi)		
	0.131		Y =8d	S	X, HDG	100,000		
Plastic, Paper	0.135	Full round	Y 135	S	X, HDG	100,000		
	0.148		Y =10d	S	X, HDG	90,000		
Metal Hardware Nails Designated as "Metal Connector Nail" on package labeling								
Paper	0.131	Eull as used	n/a	S	X, HDG	100,000		
	0.148	Fuil IOUNG	n/a	S	X, HDG	90,000		

			BECK A	MERICA, INC.				
NAILS (Brand names: FASCO, FASCO/BECK, BECK FASTENER GROUP)								
TYPE OF COLLATION	NOMINAL DIAMETER (inch)	HEAD STYLE	MEETS HEAD AREA RATIO REQUIREMENTS FOR USE IN LFRAS	SHANK TYPE	FIN	IISH/ COATING	SPECIFIED BENDING YIELD STRENGTH, Fyb (psi)	
	0.000		- (-	S, R	X	, HDG, EG, SS	- 1-	
	0.092		n/a	Sc		X, HDG, EG	n/a	
	0.000		n/a	S, R	X	, HDG, EG, SS	400.000	
	0.033		11/a	Sc		X, HDG, EG	100,000	
	0 113		Y =6d	S, Sc		X, HDG, EG	100.000	
Wire, Plastic,	0.110		1 -00	R	X	, HDG, EG, SS	100,000	
Paper	0 120		Y 120	S		X, HDG, EG	100 000	
	0.120	E. H. and and	1 120	R, Sc	X	, HDG, EG, SS	100,000	
	0 131	Full round	Y =8d	S		X, HDG, EG	100.000	
	0.101		1 -00	R, Sc		Х	100,000	
	0.135		N	S, R, Sc		Х	100,000	
	0.148		V -10d	S, R		X, HDG, EG	80.000	
	0.148		T = TOU	Sc		X, HDG	90,000	
Wire Diastia	0.162		N	S, Sc		X, HDG	90,000	
WIE, Flastic	0.102		IN	R		Х		
Diantia	0.180		n/a	S		Х	80,000	
FIASUC	0.197		n/a	S		Х	80,000	
	0.002	Clipped		n/o	S, R	X	, HDG, EG, SS	2/2
	0.092		n/a	Sc		X, HDG, EG	ıva	
	0.113		Y =6d	S, Sc		X, HDG, EG	100.000	
				R	X	, HDG, EG, SS	100,000	
Wire, Plastic, Paper			Y 120	S		X, HDG, EG	100,000	
i upoi				R, Sc	X	, HDG, EG, SS		
	0 121		N	S		X, HDG, EG	100,000	
	0.131			R, Sc		Х		
	0.135		Ν	S, R, Sc		Х	100,000	
	0 112		X -64	S, Sc		X, HDG, EG	100.000	
	0.115		T =OU	R	X	, HDG, EG, SS	100,000	
VVire, Plastic, Paper	0.120	Offset	Ν	S		X, HDG, EG	100.000	
-1	0.120		11	R, Sc	X	, HDG, EG, SS	100,000	
	0.135		Ν	S, R, Sc		Х	100,000	
Metal Hardware Nails Designated "Paper Tape joist Hanger Nails" on package labeling								
	0.131		n/a	S		X, HDG, EG	100,000	
Paper	0.148	Full Round	n/a	S	1	X, HDG, EG	90,000	
	0.162	1	n/a	S		X, HDG, EG	90,000	
		STAPLES	(Brand names: FASCO, F	ASCO/BECK, BEC	K FASTE	NER GROUP)		
	GAGE		NOMINAL CR	NOMINAL CROWN WIDTH (inch)		FI	NISH/ COATING	
	16			<sup>7</sup> / <sub>16</sub>			X, EG	
	15			<sup>7</sup> / <sub>16</sub>			X, EG	
14				1		X, EG		

BUILDING MATERIAL DISTRIBUTORS, INC.										
NAILS (Brand name: MASTER FASTENERS)										
TYPE OF COLLATION	NOMINAL DIAMETER (inch)	HEAD STYLE	MEETS HEAD AREA RATIO REQUIREMENTS FOR USE IN LFRAS	SHANK TYPE	FINISH/ COATING	SPECIFIED BENDING YIELD STRENGTH, <i>Fyb</i> (psi)				
	0 112		V -6d	S	X, HDG, EG	100.000				
	0.115		1 =00	R	X, EG	100,000				
	0.120		V 120	S, Sc	Х	100,000				
Wire, Plastic, Paper	0.120	Full Round	¥ 120	R	X, EG	100,000				
	0.131		Y =8d	S	Х	100.000				
				R	X, EG	100,000				
	0.135						n/a	S	Х	100,000
	0.148		Y =10d	S	X, HDG	90,000				
				R	Х					
Plastic	0.162		Y =16d	S	X, HDG	90,000				
	0.112		V Cd	S	X, HDG, EG	100,000				
	0.113		r =ou	R	X, EG	100,000				
Paper	0.120	Clinned	V 400	S, Sc	Х	100,000				
	0.120	Clipped	T I∠U	R	X, EG	100,000				
	0.121		V 0d	S	X, HDG, EG	100.000				
	0.131		Y =8d	R	X, EG	100,000				

l I			FALCON FA	STENERS REG'D		
				NAILS		
TYPE OF COLLATION	NOMINAL DIAMETER (inch)	HEAD STYLE	MEETS HEAD AREA RATIO REQUIREMENTS FOR USE IN LFRAS	SHANK TYPE	FINISH/ COATING	SPECIFIED BENDING YIELD STRENGTH, Fyb (psi)
	0.092		n/a	S, R, Sc	Х	n/a
Wiro				S	X, HDG, SS, HT, HTHDG	
wire	0.099		n/a	R	X, HDG, SS	100,000
L				Sc	X, HDG	
				S	X, HDG, SS, HT, HTHDG	
	0.113		Y =6d	R	X, HDG, SS	100,000
				Sc	X, HDG	
		Full round		S	X, HDG, SS, HT, HTHDG	
	0.120	1 un round	Y 120	R	X, HDG, SS	100,000
Wire, Plastic,				Sc	X, HDG	
Paper				S	X, HDG, SS, HT, HTHDG	
	0.131		Y =8d	R	X, HDG, SS	100,000
				Sc	X, HDG	
	0 148		Y –10d	S	X, HDG, SS, HT, HTHDG	90.000
	0.140		1 = 100	R	X, HDG, SS	30,000
	0.162		Y =16d	S	X, HDG, HT, HTHDG	90,000
				S	X, HDG, SS, HT, HTHDG	
1	0.113		Y =6d	R	X, HDG, SS	100,000
				Sc	X, HDG	
			Y 120	S	X, HDG, SS, HT, HTHDG	
Wire, Paper	0.120	Notched		R	X, HDG, SS	100,000
				Sc	X, HDG	
	0.131		Y =8d	S	X, HDG, SS, HT, HTHDG	
				R	X, HDG, SS	100,000
				Sc	X, HDG	
	0.113 0.120 0.131		Y =6d	S	X, HDG, SS, HT, HTHDG	
				R	X, HDG, SS	100,000
				Sc	X, HDG	
1			Y 120 Y =8d	S	X, HDG, SS, HT, HTHDG	100,000
1				R	X, HDG, SS	
Paper		Clipped		Sc	X, HDG	
				S	X, HDG, SS, HT, HTHDG	
				R	X, HDG, SS	
				Sc	X, HDG	
	0.149			S	X, HDG, SS, HT, HTHDG	
	0.146		f = 100	R	X, HDG, SS	90,000
				S	X, HDG, SS, HT, HTHDG	100,000
	0.113		Y =6d	R	X, HDG, SS	
				Sc	X, HDG	
				S	X, HDG, SS, HT, HTHDG	
Wire, Paper	0.120		Y 120	R	X, HDG, SS	100,000
1		Offset		Sc	X, HDG	
1				S	X, HDG, SS, HT, HTHDG	
	0.131		Y =8d	R	X, HDG, SS	100,000
L				Sc	X, HDG	
Dener	0.4.40		)( 40-l	S	X, HDG, SS, HT, HTHDG	00.000
Paper	0.148		Y =100	R	X, HDG, SS	90,000
		Designated	Metal Ha as "Metal Connector Nail"	ardware Nails or "Joist Hanger N	lail" on package labeling	
	0.101			S	X, HDG, SS, HT, HTHDG	400.000
	0.131			R	X, HDG, SS	100,000
Paper		Full round**	n/a	S	X, HDG, SS, HT, HTHDG	
	0.148			R	X, HDG, SS	90,000
	0.162	1		S	X, HDG, HT, HTHDG	90.000
	-	1	1	-		/

GEEKAY WIRES LTD.								
NAILS								
TYPE OF COLLATION	NOMINAL DIAMETER (inch)	HEAD STYLE	MEETS HEAD AREA RATIO REQUIREMENTS FOR USE IN LFRAS	SHANK TYPE	FINISH/ COATING	SPECIFIED BENDING YIELD STRENGTH, <i>Fyb</i> (psi)		
Wire	0.092		n/a	S, R, Sc	SS	n/a		
	0.099		n/a	S, R, Sc	X, HDG, EG	100,000		
	0.113		Y =6d	S, R, Sc	X, HDG, EG	100,000		
	0.120	Full round	Y 120	S, R, Sc	X, HDG, EG	100,000		
Wire, Plastic	0.131	Fuil round	Y =8d	S, R, Sc	X, HDG, EG	100,000		
	0.135		Y =8d	S, R, Sc	X, HDG, EG	100,000		
	0.148		Y =10d	S, R, Sc	X, HDG, EG	90,000		
	0.162		Y =16d	S, R, Sc	X, HDG, EG	90,000		
	0.113	Clipped	Y =6d	S, R, Sc	X, HDG, EG	100,000		
	0.120		N	S, R, Sc	X, HDG, EG	100,000		
Deper	0.131		Y =8d	S, R, Sc	X, HDG, EG	100,000		
гареі	0.113		Y =6d	S, R, Sc	X, HDG, EG	100,000		
	0.120	Offset	Y 120	S, R, Sc	X, HDG, EG	100,000		
	0.131		Y =8d	S, R, Sc	X, HDG, EG	100,000		
Metal Hardware Nails (Designated "Metal Connector Nail" on package labeling)								
	0.131		n/a	S, R, Sc	X, HDG, EG	100,000		
Paper	0.148	Full round	n/a	S, R, Sc	X, HDG, EG	90,000		
	0.162		n/a	S, R, Sc	X, HDG, EG	90,000		

GUNEY CELIK A.S.									
	NAILS (Brand name: CIVIDA)								
<u>TYPE OF</u> COLLATION	<u>NOMINAL</u> <u>DIAMETER</u> <u>(inch)</u>	<u>HEAD</u> STYLE	MEETS HEAD AREA RATIO REQUIREMENTS FOR USE IN LFRAS	SHANK TYPE	FINISH/ COATING	SPECIFIED BENDING YIELD STRENGTH, Fyb (psi)			
Wire	<u>0.092</u>	Full round	<u>n/a</u>	<u>S, R, Sc</u>	<u>X</u>	<u>n/a</u>			
	<u>0.099</u>		<u>n/a</u>	<u>S, R, Sc</u>	<u>X</u>	<u>100,000</u>			
<u>Wire, Plastic</u>	<u>0.113</u>		<u>Y =6d</u>	<u>S, R, Sc</u>	<u>X</u>	<u>100,000</u>			
	<u>0.120</u>		<u>Y 120</u>	<u>S, R, Sc</u>	<u>X</u>	<u>100,000</u>			
	<u>0.131</u>		<u>Y =8d</u>	<u>S, R, Sc</u>	<u>X</u>	<u>100,000</u>			
<u>Paper</u>	0.120	Clinned	<u>Y 120</u>	<u>S, R</u>	X	100,000			
	<u>0.131</u>	Clipped	<u>Y =8d</u>	<u>S, R</u>	<u>X</u>	<u>100,000</u>			

HUTTIG BUILDING PRODUCTS								
NAILS (Brand name: HUTTIG-GRIP)								
TYPE OF COLLATION	NOMINAL DIAMETER (inch)	HEAD STYLE	MEETS HEAD AREA RATIO REQUIREMENTS FOR USE IN LFRAS	SHANK TYPE	FINISH/ COATINGPP	SPECIFIED BENDING YIELD STRENGTH, <i>Fyb</i> (psi)		
\\//inc	0.092		n/a	S, R, Sc	X, HDG, EG	n/a		
WIIE	0.099		n/a	S, R, Sc	X, HDG, EG	100,000		
	0.113		Y =6d	S, R, Sc	X, HDG, EG	100,000		
Wire, Plastic, Paper	0.120	Full round	Y 120	S, R, Sc	X, HDG, EG	100,000		
i upoi	0.131	Full round	Y =8d	S, R, Sc	X, HDG, EG	100,000		
	0.135		Y =8d	S, R, Sc	X, HDG, EG	100,000		
Wire, Plastic	0.148		Y =10d	S, R, Sc	X, HDG, EG	90,000		
	0.162		Y =16d	S, R, Sc	X, HDG, EG	90,000		
	0.113	Clipped	Y =6d	S, R, Sc	X, HDG, EG	100,000		
	0.120		Y 120	S, R, Sc	X, HDG, EG	100,000		
Danar	0.131		Y =8d	S, R, Sc	X, HDG, EG	100,000		
Paper	0.113	Offset	Y =6d	S, R, Sc	X, HDG, EG	100,000		
	0.120		Y 120	S, R, Sc	X, HDG, EG	100,000		
	0.131		Y =8d	S, R, Sc	X, HDG, EG	100,000		
Metal Hardware Nails (Designated "Metal Connector Nail" on package labeling)								
	0.131		n/a	S	H, HHDG, HEG	130,000		
Paper	0.148	Full round	n/a	S	H, HHDG, HEG	115,000		
	0.162		n/a	S	H, HHDG, HEG	115,000		
	0.131		n/a	S, R, Sc	X, HDG, EG	100,000		
Paper*	0.148	Full round	n/a	S, R, Sc	X, HDG, EG	90,000		
	0.162		n/a	S, R, Sc	X, HDG, EG	90,000		
Head markings fo	or metal hardwar	e nails: '1' for	$1^{1}/_{2} \ge 0.131$ ; '2' for $2^{1}/_{2} \ge 0.1$	31; '3' for 11/2 x 0.14	8; '4' for 21/2 x 0.148; '5' for 21/2	2 x 0.162		
*Plastic collation is	available for X a	nd HDG nails	with smooth shank.					

	ILLINOIS TOOL WORKS COMPANY									
NAILS (Brand names: PASLODE, LIGHTNING STRIKE, DUO-FAST)										
TYPE OF COLLATION	NOMINAL DIAMETER (inch)	HEAD STYLE (applicable brand name)	MEETS HEAD AREA RATIO REQUIREMENTS FOR USE IN LFRAS	SHANK TYPE	FINISH/ COATING	SPECIFIED BENDING YIELD STRENGTH, <i>Fyb</i> (psi)				
	0.113		Y =6d	S, R	X, HDG	100,000				
Plastic, paper	0.120		Y 120	R, Sc	HDG	100,000				
	0.131	Full Round	Y =8d	S	X, HDG	100,000				
				Sc	HDG	100,000				
	0.148		Y =10d	S	Х	90,000				
	0.113		Y =6d	S, R	X, HDG	100,000				
Paper	0.120	Offset (RounDrive™)	Y 120	S, R	Х	100,000				
	0.135	(Rounding )	Y 135	S	Х	100,000				
	0.113	Clipped (Paslode)	Y =6d	S, R	HDG	100,000				
Paper	0.120		Y 120	S, R, Sc	X, HDG	100,000				
	0.131	(1 401046)	N	S, R	X	100,000				

	INMAX GROUP – INMAX SDN. BHD. & INMAX INDUSTRIES SDN.BHD.									
	NAILS									
TYPE OF COLLATION	NOMINAL DIAMETER (inch)	HEAD STYLE	MEETS HEAD AREA RATIO REQUIREMENTS FOR USE IN LFRAS	SHANK TYPE	FINISH/ COATING	SPECIFIED BENDING YIELD STRENGTH, <i>Fyb</i> (psi)				
	0.113		Y =6d	S, R, Sc	Х	100,000				
Wire Plastic	0.120	- Full Round	Y 120	S, R, Sc	Х	100,000				
wire, r lasue	0.131		Y =8d	S, R, Sc	Х	100,000				
	0.135		Y 135	S	Х	100,000				
	0.148		Y =10d	S, R, Sc	Х	90,000				
Plastic	0.162		Y =16d	S	Х	90,000				

			JAACO C	ORPORATION					
NAILS (Brand name: NAILPRO)									
TYPE OF COLLATION	NOMINAL DIAMETER (inch)	HEAD STYLE	MEETS HEAD AREA RATIO REQUIREMENTS FOR USE IN LFRAS	SHANK TYPE	FINISH/ COATING	SPECIFIED BENDING YIELD STRENGTH, Fyb (psi)			
Wire Blootie	0.113		Y =6d	S	Х	100,000			
wire, Plastic	0.120	Full Round	Y 120	S, R	Х	100,000			
Wire, Plastic, Paper	0.131		Y =8d	S	х	100,000			
Denen	0.148		N	S	Х	90,000			
Paper	0.162		N	S	Х	90,000			
Metal Hardware Nails Designated "Joist Hanger Nail" on package labeling									
Paper	0.131	Full Round	n/a	S	Х	100,000			
	0.148		n/a	S	Х	90,000			
	0.162		n/a	S	х	90,000			

			KOKI HOLDIN	IGS AMERICA LTD.		
			NAILS (Brand r	ame: METABO-HPT	Γ)	
TYPE OF COLLATION	NOMINAL DIAMETER (inch)	HEAD STYLE	MEETS HEAD AREA RATIO REQUIREMENTS FOR USE IN LFRAS	SHANK TYPE	FINISH/ COATING	SPECIFIED BENDING YIELD STRENGTH, Fyb (psi)
	0.000		,	S, R	X, EG, HDG, SS	
	0.092		n/a -	Sc	X, EG, HDG	n/a
	0.099		n/a	S, R, Sc	X, EG, HDG	100,000
				S	X, EG, HDG, SS, HT	
	0.113		Y =6d	R	X, EG, HDG, SS	100,000
				Sc	X, EG, HDG	_
				S	X, EG, HDG, SS, HT	
Wire, Plastic,	0.120	Full round	Y 120	R	X, EG, HDG, SS	100,000
Paper				Sc	X, EG, HDG	
	0.131			S	X, EG, HDG, SS, HT	
			Y =8d	R	X, EG, HDG, SS	100,000
				Sc	X, HDG	
	0.148		Y =10d	S	X, EG, HDG, SS, HT	
				R	X, EG, HDG, SS	90,000
				Sc	X, HDG	
	0.162		N	S	X, EG, HDG	90,000
	0.113		Y =6d	S, R, Sc	X, EG, HDG	100,000
Paper	0.120	Clipped	Y 120	S, R, Sc	X, EG, HDG	100,000
	0.131		Y =8d	S, R, Sc	X, EG, HDG	100,000
	0.113		Y =6d	S, R, Sc	X, EG, HDG	100,000
Wire, Paper	0.120	Offset	Y 120	S, R, Sc	X, EG, HDG	100,000
	0.131		Y =8d	S, R, Sc	X, EG, HDG	100,000
			Metal H Designated "Strap-	ardware Nails Tite" on package lal	beling	
	0.131		n/a	S	H, HHDG, HEG	130,000
Paper	0.148	Full round	n/a	S	H, HHDG, HEG	115,000
	0.162		n/a	S	H, HHDG, HEG	115,000

'H1' for  $1^{1}_{2} \ge 0.131$ ; 'H2' for  $2^{1}_{2} \ge 0.131$ ; 'H3' for  $1^{1}_{2} \ge 0.148$ ; 'H4' for  $2^{1}_{2} \ge 0.148$ ; 'H5' for  $2^{1}_{2} \ge 0.162$ 

			KYOCERA SENCO	NDUSTRIAL TOOL	S, INC.		
			NAILS (Brar	nd name: SENCO)			
TYPE OF COLLATION	NOMINAL DIAMETER (inch)	HEAD STYLE	MEETS HEAD AREA RATIO REQUIREMENTS FOR USE IN LFRAS	SHANK TYPE	FIN	ISH/ COATING	SPECIFIED BENDING YIELD STRENGTH, Fyb (psi)
	0.113		Y =6d	S, R	2	X, EG, HDG	100,000
Wire, Plastic	0.120		V 120	S, Sc	2	X, EG, HDG	100.000
	0.120		1 120	R		X, HDG	100,000
	0.121		Full Round Y =8d	S	2	X, EG, HDG	100.000
Wire, Plastic, Paper	0.131	Full Round		R		X, HDG	100,000
i upoi	0.135		Y 135	S		Х	100,000
Plastic, Paper	0.148		Y =10d	S		X, HDG	90,000
Paper	0.162		Y =16d	S		X, HDG, HT	90,000
0.113 0.120	0.113	-	Y =6d	S, R	2	X, EG, HDG	100,000
	0.120		N/ 400	S	2	X, EG, HDG	100.000
			1 120	R		X, HDG	100,000
Paper	0.131	Ciipped	Y =8d	S	2	X, EG, HDG	400.000
				R		X, HDG	100,000
	0.135		Y 135	S	2	X, EG, HDG	100,000
	0.113		Y =6d	S, R		X, HDG	100,000
Paper	0.120	Offset	Y 120	S, R		X, HDG	100,000
	0.131		Y =8d	S, R		X, HDG	100,000
		Desi	Metal H gnated "Hardened Metal C	ardware Nails onnector Nails" on	package	labeling	
	0.131		n/a	S	H,	HHDG, HEG	130,000
Paper	0.148	Full round	n/a	S	H,	HHDG, HEG	115,000
	0.162		n/a	S	Н,	HHDG, HEG	115,000
	•		STAPLES (Br	and name: SENCO)	)		
	GAGE		NOMINAL CR	OWN WIDTH (inch)	)	F	INISH/ COATING
	14			7/16		x	
	15			7/16			X, EG
	16			7/16, 1		X, EG	

		Ν	ID-CONTINENT STEEL AN	ND WIRE (MID-CON	TINENT NAIL)				
NAILS (Brand name: MAGNUM FASTENERS)									
TYPE OF COLLATION	NOMINAL DIAMETER (inch)	HEAD STYLE	MEETS HEAD AREA RATIO REQUIREMENTS FOR USE IN LFRAS	SHANK TYPE	FINISH/ COATING	SPECIFIED BENDING YIELD STRENGTH, Fyb(psi)			
Wiro	0.092		n/a	S, R, Sc	X, EG, HDG	n/a			
vvire	0.099		n/a	S, R, Sc	X, EG, HDG	100,000			
	0.113		Y =6d	S, R, Sc	X, EG, HDG	100,000			
Wire, Plastic, Paper	0.120	Full Bound	Y 120	S, R, Sc	X, EG, HDG	100,000			
i apei	0.131	Full Round	Y =8d	S, R, Sc	X, EG, HDG	100,000			
Wire, Plastic	0.135		Y 135	S, R, Sc	X, EG, HDG	100,000			
Directio	0.148		Y =10d	S, R, Sc	X, EG, HDG	90,000			
Plastic	0.162		N	S, R, Sc	X, EG, HDG	90,000			
	0.113		Y =6d	S, R, Sc	X, HDG	100,000			
Paper	0.120	Offset	Y 120	S, R, Sc	X, HDG	100,000			
	0.131		Y 8d	S, R, Sc	X, HDG	100,000			
Metal Hardware Nails Designated "Hardware Nails" on package labeling									
	0.131	Full round	n/a	S	X, HDG	100,000			
Paper	0.148		n/a	S	X, HDG	90,000			
	0.162		n/a	S	X, HDG	90,000			

			NATIONAL N	AIL CORPORATION						
	NAILS (Brand name: PROFIT)									
TYPE OF COLLATION	NOMINAL DIAMETER (inch)	HEAD STYLE	MEETS HEAD AREA RATIO REQUIREMENTS FOR USE IN LFRAS	SHANK TYPE	FINISH/ COATING	SPECIFIED BENDING YIELD STRENGTH, Fyb(psi)				
	0.092		n/a	S, R, Sc	X, HDG, SS	n/a				
Wiro	0.099		n/a	S, R, Sc	X, EG, HDG	100,000				
VVIIE	0.099		n/a	S	Н	130,000				
	0.113		Y =6d	S	Н	130,000				
	0.113		Y =6d	S, R, Sc	X, EG, HDG	100,000				
	0.120		Y 120	S, R, Sc	X, EG, HDG	100,000				
	0.120	Full Round	Y 120	S, R, Sc	H, HHDG, HEG	130,000				
Wire, Plastic	0.131	-	Y =8d	S, R, Sc	X, EG, HDG	100,000				
	0.135		Y 135	S, R, Sc	X, EG, HDG	100,000				
	0.148		Y =10d	S, R, Sc	X, EG, HDG	90,000				
	0.162		Y =16d	S, R, Sc	X, EG, HDG	90,000				
Wire, Plastic, Paper	0.131		Y =8d	S, R, Sc	H, HHDG, HEG	130,000				
	0.113		Y =6d	S, R, Sc	X, EG, HDG	100,000				
Wire, Paper	0.120	Clipped	Y 120	S, R, Sc	X, EG, HDG	100,000				
	0.131		Y =8d	S, R, Sc	X, EG, HDG	100,000				
	0.113		Y =6d	S, R, Sc	X, EG, HDG	100,000				
Wire, Paper	0.120	Offset	Y 120	S, R, Sc	X, EG, HDG	100,000				
	0.131		Y =8d	S, R, Sc	X, EG, HDG	100,000				
			Metal H Designated "Joist Hang)	ardware Nails ger Nail" on packag	e labeling)					
	0.131		n/a	S, R, Sc	X, HDG, EG	100,000				
Paper	0.148	Full round	n/a	S, R, Sc	X, HDG, EG	90,000				
	0.162		n/a	S, R, Sc	X, HDG, EG	90,000				

Head markings for metal hardware nails: '1' for  $1^{1}_{2} \times 0.131$ ; '2' for  $2^{1}_{2} \times 0.131$ ; '3' & '10' for  $1^{1}_{2} \times 0.148$ ; '4' for  $2^{1}_{2} \times 0.148$ ; '5' for  $2^{1}_{2} \times 0.162$ 

	OMAN FASTENERS									
NAILS										
TYPE OF COLLATION	NOMINAL DIAMETER (inch)	HEAD STYLE	MEETS HEAD AREA RATIO REQUIREMENTS FOR USE IN LFRAS	SHANK TYPE	FINISH/ COATING	SPECIFIED BENDING YIELD STRENGTH, <i>Fyb</i> (psi)				
W/iro	0.092		n/a	S, R, Sc	X, EG, HDG	n/a				
vvire	0.099		n/a	S, R, Sc	X, EG, HDG	100,000				
	0.113		Y =6d	S, R, Sc	X, EG, HDG	100,000				
Wire, Plastic	0.120	Full Round	Y 120	S, R, Sc	X, EG, HDG	100,000				
	0.131		Y =8d	S, R, Sc	X, EG, HDG	100,000				
Diantia	0.148		Y =10d	S, R, Sc	X, EG, HDG	90,000				
1 18300	0.162		Y =16d	S, R, Sc	X, EG, HDG	90,000				
	0.113	Clipped	Y =6d	S, R, Sc	X, EG, HDG	100,000				
Wire, Paper	0.120		Y 120	S, R, Sc	X, EG, HDG	100,000				
	0.131		Y =8d	S, R, Sc	X, EG, HDG	100,000				
	0.113		Y =6d	S, R, Sc	X, EG, HDG	100,000				
Wire, Paper	0.120	Offset	Y 120	S, R, Sc	X, EG, HDG	100,000				
	0.131		Y =8d	S, R, Sc	X, EG, HDG	100,000				
		(De	Metal H esignated "Hardened Joist	ardware Nails Hanger Nail" on pa	ackage labeling)					
	0.131		n/a	S	H, HHDG, HEG	130,000				
Paper	0.148	Full Round	n/a	S	H, HHDG, HEG	115,000				
	0.162		n/a	S	H, HHDG, HEG	115,000				
Head markings for $11/_2 \times 0.131$ ;	or metal hardwar '2' for 21/2 x 0.13	re nails: 1; '3' for 1¹/₂ x	0.148; '4' for 2 <sup>1</sup> / <sub>2</sub> x 0.148; '5'	for 2 <sup>1</sup> / <sub>2</sub> x 0.162						

			PEACE	INDUSTRIES						
	NAILS (Brand name: SPOTNAILS)									
TYPE OF COLLATION	NOMINAL DIAMETER (inch)	HEAD STYLE	MEETS HEAD AREA RATIO REQUIREMENTS FOR USE IN LFRAS	SHANK TYPE	FINISH/ COATING	SPECIFIED BENDING YIELD STRENGTH, Fyb(psi)				
				S	X, EG	100,000				
	0.099		n/a	R	EG	100,000				
				Sc	Х	100,000				
Wire	0.113		Y =6d	S, R	Х	100,000				
	0.120		Y 120	S	X, EG	100,000				
		Full Bound		R, Sc	Х	100,000				
	0.131		Y =8d	S	Х	100,000				
	0.113		V -6d	S, Sc	Х	100,000				
			1 =64	R	X, EG	100,000				
Plastic	0.400		Y 120	S, Sc	Х	100,000				
	0.120			R	EG	100,000				
	0.131		Y= 8d	S	Х	100,000				
	0.113		<u>Y =6d</u>	R	Х	100,000				
Paper	0.120	Clipped	Y 120	R	HDG	100,000				
	0.131		Y= 8d	S	Х	100,000				
Metal Hardware Nails (Designated "Joist Hanger Nail" on package labeling)										
	0.131		n/a	S	H, HHDG, HEG	130,000				
Paper	0.148	Full Round	n/a	S	H, HHDG, HEG	115,000				
	0.162		n/a	S	H, HHDG, HEG	115,000				

			PRIMESOURCE	BUILDING PRODUC	TS					
	NAILS (Brand names: GRIP-RITE, FAS'NERS UNLIMITED, FITS RITE)									
TYPE OF COLLATION	NOMINAL DIAMETER (inch)	HEAD STYLE	MEETS HEAD AREA RATIO REQUIREMENTS FOR USE IN LFRAS	SHANK TYPE	FINISH/ COATING	SPECIFIED BENDING YIELD STRENGTH, <i>F<sub>yb</sub></i> (psi)				
	0.092		n/a	S, R	Х	100,000				
	0.092		n/a	S, R, Sc	SS	100,000				
Wire	0.099		n/a	S, R, Sc	X, HDG, EG	100,000				
	0.099		n/a	S	Н	130,000				
	0.113		Y =6d	S	Н	130,000				
	0.113		Y =6d	S, R, Sc	X, HDG, EG	100,000				
Wire Diactio	0.120	Full Round	Y 120	S, R, Sc	X, HDG, EG	100,000				
WITE, Flastic	0.120		Y 120	S, R, Sc	H, HHDG, HEG	130,000				
	0.131		Y =8d	S, R, Sc	X, HDG, EG	100,000				
Wire, Plastic, Paper	0.131		Y=8d	S, R, Sc	H. HDHG, HEG	130,000				
	0.135	_	Y 135	S, R, Sc	Х	100,000				
Plastic	0.148		Y =10d	S, R, Sc	X, HDG, EG	90,000				
	0.162		Y =16d	S, R, Sc	X, HDG, EG	90,000				
	0.113		Y =6d	S, R, Sc	X, HDG, EG	100,000				
Paper	0.120	Clipped	Y 120	S, R, Sc	X, HDG, EG	100,000				
	0.131		Y =8d	S, R, Sc	X, HDG, EG	100,000				
	0.113		Y =6d	S, R, Sc	X, HDG, EG	100,000				
Paper	0.120	Offset	Y 120	S, R, Sc	X, HDG, EG	100,000				
	0.131		Y= 8d	S, R, Sc	X, HDG, EG	100,000				
			Metal H Designated "Joist Hang)	ardware Nails ger Nail" on packag	e labeling)					
	0.131		n/a	S	X, HDG, EG	100,000				
Paper	0.148	Full Round**	n/a	S	X, HDG, EG	90,000				
	0.162		n/a	S	X, HDG, EG	90,000				
Head markings for '1' for 21/2 x 0.131;	or metal hardwa '8' for 1½ x 0.13	re nails are as 1; '10' for 1½ x	follows: 0.148; '12' for 2½ x 0.148; '1	l6' for 2½ x 0.162						

			SHANGHAI YU	JEDA NAIL CO., LTC	).		
				NAILS			
TYPE OF COLLATION	NOMINAL DIAMETER (inch)	HEAD STYLE	MEETS HEAD AREA RATIO REQUIREMENTS FOR USE IN LFRAS	SHANK TYPE	FINISH/ COATING	SPECIFIED BENDING YIELD STRENGTH, Fyb(psi)	
	0.092		n/a	S, R, Sc	X, EG, HDG, MG	n/a	
	0.099		n/a	S, R, Sc	X, EG, HDG, MG	100,000	
Wire	0.113		Y = 6d	S, R, Sc	X, EG, HDG, MG	100,000	
	0.120		Y 120	S, R, Sc	X, EG, HDG, MG	100,000	
	0.131		Y = 8d	S, R, Sc	X, EG, HDG, MG	100,000	
	0.113		Y = 6d	S, R, Sc	X, EG, HDG, MG	100,000	
	0.120	Full Round	Y 120	S, R, Sc	X, EG, HDG, MG	100,000	
Plastic Strip	0.131		Y = 8d	S, R, Sc	X, EG, HDG, MG	100,000	
	0.148		Y =10d	S, R	X, EG, HDG, MG	90,000	
	0.162		Y =16d	S, R	X, EG, HDG, MG	90,000	
	0.099	_	n/a	S, R, Sc	X, EG, HDG, MG	100,000	
Plastic Sheet Coil	0.113		N	S, R, Sc	X, EG, HDG, MG	100,000	
00.1	0.120		Y 120	S, R, Sc	X, EG, HDG, MG	100,000	
	0.092	- Clipped	n/a	S, R, Sc	X, EG, HDG, MG	n/a	
	0.113		Y =6d	S, R, Sc	X, EG, HDG, MG	100,000	
	0.120		Y 120	S, R, Sc	X, EG, HDG, MG	100,000	
Paper	0.131		Y = 8d	S, R, Sc	X, EG, HDG, MG	100,000	
	0.113		Y = 6d	S, R, Sc	X, EG, HDG, MG	100,000	
	0.120	Offset	Y 120	S, R, Sc	X, EG, HDG, MG	100,000	
	0.131		N	S, R, Sc	X, EG, HDG, MG	100,000	
			Metal H	ardware Nails			
	0.131		n/a	S, R, Sc	X, EG, HDG, MG	100,000	
Paper	0.148	Full Round	n/a	S	X, EG, HDG, MG	90,000	
	0.162		n/a	S, R	X, EG, HDG, MG	90,000	
			S	TAPLES			
	GAGE		NOMINAL CROWN	WIDTH (inch)	FINISH	/ COATING	
	14		<sup>1</sup> / <sub>2</sub> , <sup>9</sup> / <sub>16</sub> ,	1	2	K, EG	
	15		<sup>7</sup> / <sub>16</sub> , <sup>1</sup> / <sub>2</sub>		2	K, EG	
	16		<sup>7</sup> / <sub>16</sub> , <sup>1</sup> / <sub>2</sub> , <sup>15</sup> / <sub>16</sub> , <sup>1</sup>	1, 1 <sup>1</sup> / <sub>16</sub>	X, EG		

SPECIALTY FASTENING SYSTEMS, INC.									
NAILS (Brand names: SPECIALTY NAIL CO., SPECIALTY FASTENERS)									
TYPE OF COLLATION	NOMINAL DIAMETER (inch)	HEAD STYLE	MEETS HEAD AREA RATIO REQUIREMENTS FOR USE IN LFRAS	SHANK TYPE	FINISH/ COATING	SPECIFIED BENDING YIELD STRENGTH, <i>Fyb</i> (psi)			
	0.092		n/a	S, R, Sc	Х	n/a			
			n/a	S	X, HDG, SS, HT	100,000			
	0.099		n/a	R	X, HDG, SS	100,000			
			n/a	Sc	X, HDG	100,000			
	0.113			S	X, HDG, SS, HT	100,000			
			Y =6d	R	X, HDG, SS	100,000			
				Sc	X, HDG	100,000			
Diantia Danar			Y 120	S	X, HDG, SS, HT	100,000			
Plastic, Paper	0.120	Full Round		R	X, HDG, SS	100,000			
				Sc	X, HDG	100,000			
				S	X, HDG, SS, HT	100,000			
	0.131		Y =8d	R	X, HDG, SS	100,000			
				Sc	X, HDG	100,000			
	0.148		V 10d	S	X, HDG, SS, HT	90,000			
			Y =10d	R	X, HDG, SS	90,000			
	0.162		Y =16d	Sc	X, HDG, HT	90,000			

STANLEY BLACK AND DECKER INC.								
NAILS (Brand name: BOSTITCH, DEWALT, CRAFTSMAN)								
TYPE OF COLLATION	NOMINAL DIAMETER (inch)	HEAD STYLE	MEETS HEAD AREA RATIO REQUIREMENTS FOR USE IN LFRAS	SHANK TYPE	FIN	IISH/ COATING	SPECIFIED BENDING YIELD STRENGTH, Fyb (psi)	
Wire, Plastic	0.092	Full Round	n/a	S, R		X, HDG	n/a	
				Sc		Х		
	0.099		n/a	S, R, Sc	X, ⊦	IDG, MG, P1(B) <sup>1</sup>	100,000	
	0.113		Y =6d	S, R	Х, Н	DG, EG, MG, P1	100.000	
				Sc	Х	, HDG, P1(B) <sup>1</sup>	100,000	
	0.120		Y 120	S, R	Х	, HDG, EG, P1	100,000	
				Sc	Х	, HDG, P1(B) <sup>1</sup>		
	0.131		Y =8d	S	Х, Н	DG, EG, MG, P1	100,000	
				R	Х,	HDG, EG, MG		
				Sc	Х	, HDG, P1(B) <sup>1</sup>		
	0.135		Y 135	S		Х	100,000	
	0.148		Y =10d	S, Sc		Х	90,000	
	0.162		N	S		X, P1(B) <sup>1</sup>	90,000	
Paper	0.113	Clipped	Y =6d	S	Х, Н	DG, EG, MG, P1	100,000	
				R	Х	, HDG, EG, P1		
				Sc		X, HDG, P1		
	0.120		V 120	S, R	Х	, HDG, EG, P1	100.000	
			1 120	Sc		X, HDG, P1	- 100,000	
	0.131		Y =8d	S, R	Х	, HDG, EG, P1		
				Sc		X, HDG, P1		
Wire, Paper	0.113	Offset	Y =6d	S	Х	, HDG, EG, P1	100,000 	
				R	Х, Н	DG, EG, MG, P1		
				Sc		X, HDG, P1		
	0.120		Y 120	S, R	Х, Н	DG, EG, MG, P1		
				Sc		X, HDG, P1		
	0.131		Y =8d	S	Х, Н	DG, EG, MG, P1		
				R	Х	, HDG, EG, P1		
				Sc		X, HDG, P1		
Wire	0.113	Notched	Y =6d	S, R	Х	, HDG, EG, P1	100,000	
				Sc		X, HDG, P1		
	0.120		Y 120	S, R	Х	, HDG, EG, P1		
				Sc		X, HDG, P1		
			Y =8d	S, R	Х	, HDG, EG, P1		
				Sc		X, HDG, P1		
Metal Hardware Nails Designated as "Metal Connector Nail" on package labeling								
	0.131	Full Round	n/a	n/a S X, HD		G, EG, MG, P1, HT	100,000	
Paper, Plastic	0.148		n/a	S	X, HD	G, EG, MG, P1, HT	90,000	
	0.162		n/a	S		X, P1, HT	90,000	
When used, head markings for metal hardware nails are as follows:           'B1' for 11/2 x 0.131; 'B2' for 21/2 x 0.131; 'B3' for 11/2 x 0.148; 'B4' for 21/2 x 0.148; 'B5' for 21/2 x 0.162								
STAPLES (Brand name: BOSTITCH, DEWALT)								
GAGE				NOMINAL CROWN WIDTH (inch)			FINISH/COATING	
	15		7	7/ <sub>16</sub> , 1/ <sub>2</sub>			X	
16			7/	<sup>7</sup> / <sub>16</sub> , <sup>1</sup> / <sub>2</sub> , 1			X, EG	

<sup>1</sup>P1(B) means that the P1 coating is only available under the BOSTITCH Brand Name.



# **ICC-ES Evaluation Report**

# ESR-1539 LABC and LARC Supplement

Reissued July 2020 Revised October 2021 This report is subject to renewal July 2022.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council<sup>®</sup>

DIVISION: 06 00 00—WOOD, PLASTICS AND COMPOSITES Section: 06 05 23.13—Nails Section: 06 05 23.15—Staples

### **REPORT HOLDER:**

# INTERNATIONAL STAPLE, NAIL AND TOOL ASSOCIATION (ISANTA)

## **EVALUATION SUBJECT:**

### POWER-DRIVEN STAPLES AND NAILS

# 1.0 REPORT PURPOSE AND SCOPE

#### Purpose:

The purpose of this evaluation report supplement is to indicate that the Power-Driven Staples and Nails described in ICC-ES evaluation report <u>ESR-1539</u>, have also been evaluated for compliance with the codes noted below as adopted by the Los Angeles Department of Building and Safety (LADBS).

#### Applicable code editions:

- 2020 City of Los Angeles Building Code (LABC)
- 2020 City of Los Angeles Residential Code (LARC)

#### 2.0 CONCLUSIONS

The Power-Driven Staples and Nails, described in Sections 2.0 through 7.0 of the evaluation report <u>ESR-1539</u>, comply with the LABC Chapter 23 and the LARC and are subject to the conditions of use described in this supplement.

# 3.0 CONDITIONS OF USE

The Power-Driven Staples and Nails described in this evaluation report supplement must comply with all of the following conditions:

- All applicable sections in the evaluation report ESR-1539.
- The design, installation, conditions of use and identification of the nails and staples are in accordance with the 2018 *International Building Code*<sup>®</sup> (2018 IBC) provisions noted in the evaluation report <u>ESR-1539</u>.
- The design, installation and inspection are in accordance with additional requirements of LABC Chapters 16 and 17, and Sections 2304.10, 2305, 2306 and 2308, and LARC Sections R502, R503, R602, R802 and R803, as applicable.
- In accordance with LABC Sections 2306.2 and 2306.3, engineered diaphragms and shear walls constructed with staples as described in Section 4.1.2 of the evaluation report <u>ESR-1539</u> are permitted only for structures assigned to Seismic Design Category A, B or C.
- Nails and staples made from bright steel wire must not be used in exterior or exposed conditions.

This supplement expires concurrently with the evaluation report, reissued July 2020 and revised October 2021.





# **ICC-ES Evaluation Report**

# ESR-1539 CBC and CRC Supplement

Issued October 2021 This report is subject to renewal July 2022.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 06 00 00—WOOD, PLASTICS AND COMPOSITES Section: 06 05 23.13—Nails Section: 06 05 23.15—Staples

**REPORT HOLDER:** 

# INTERNATIONAL STAPLE, NAIL AND TOOL ASSOCIATION (ISANTA)

**EVALUATION SUBJECT:** 

#### **POWER-DRIVEN STAPLES AND NAILS**

#### 1.0 REPORT PURPOSE AND SCOPE

#### Purpose:

The purpose of this evaluation report supplement is to indicate that the power-driven staples and nails described in ICC-ES evaluation report ESR-1539 have also been evaluated for compliance with the code(*s*) noted below.

#### Applicable code edition(s):

#### ■ 2019 California Building Code (CBC)

For evaluation of applicable chapters adopted by the California Office of Statewide Health Planning and Development (OSHPD) and Division of State Architect (DSA), see Sections 2.1.1 and 2.1.2 below.

■ 2019 California Residential Code (CRC)

#### 2.0 CONCLUSIONS

#### 2.1 CBC:

The power-driven staples and nails, described in Sections 2.0 through 7.0 of the evaluation report ESR-1539, comply with CBC Chapter 23, provided the design and installation are in accordance with the 2018 *International Building Code*<sup>®</sup> (IBC) provisions noted in the evaluation report and the additional requirements of CBC Chapters 16, 17 and 23, as applicable.

2.1.1 OSHPD: The applicable OSHPD Sections and Chapters of the CBC are beyond the scope of this supplement.

2.1.2 DSA: The applicable DSA Sections and Chapters of the CBC are beyond the scope of this supplement.

#### 2.2 CRC:

The power-driven staples and nails, described in Sections 2.0 through 7.0 of the evaluation report ESR-1539, comply with CRC Chapters 5, 6, 7 and 8, provided the design and installation are in accordance with the 2018 *International Residential Code*<sup>®</sup> (IRC) provisions noted in the evaluation report.

This supplement expires concurrently with the evaluation report, reissued July 2020 and revised October 2021.





# **ICC-ES Evaluation Report**

# **ESR-1539 FBC Supplement**

Reissued July 2020 Revised October 2021 This report is subject to renewal July 2022.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 06 00 00—WOOD, PLASTICS AND COMPOSITES Section: 06 05 23.13—Nails Section: 06 05 23.15—Staples

#### **REPORT HOLDER:**

### INTERNATIONAL STAPLE, NAIL AND TOOL ASSOCIATION (ISANTA)

### **EVALUATION SUBJECT:**

# **POWER-DRIVEN STAPLES AND NAILS**

## 1.0 REPORT PURPOSE AND SCOPE

#### Purpose:

The purpose of this evaluation report supplement is to indicate that Power-Driven Staples and Nails addressed in ICC-ES evaluation report ESR-1539, have also been evaluated for compliance with the codes noted below.

#### Applicable code editions:

- 2020 Florida Building Code—Building
- 2020 Florida Building Code—Residential

#### 2.0 CONCLUSIONS

The Power-Driven Staples and Nails, described in Sections 2.0 through 7.0 and Appendix B of ICC-ES evaluation report ESR-1539, comply with the *Florida Building Code—Building* and the *Florida Building Code—Residential*, provided the design requirements are determined in accordance with the *Florida Building Code—Building* or the *Florida Building Code— Residential*, as applicable. The installation requirements noted in ICC-ES evaluation report ESR-*International Building Code*<sup>®</sup> (IBC) meet the requirements of the *Florida Building Code—Building* or the *Florida Building Code— Residential*, as applicable.

Use of the Power-Driven Staples and Nails has also been found to be in compliance with the High-Velocity Hurricane Zone provisions of the *Florida Building Code—Building* and the *Florida Building Code—Residential*.

For products falling under Florida Rule 61G20-3, verification that the report holder's quality assurance program is audited by a quality assurance entity approved by the Florida Building Commission for the type of inspections being conducted is the responsibility of an approved validation entity (or the code official, when the report holder does not possess an approval by the Commission).

This supplement expires concurrently with the evaluation report, reissued July 2020 and revised October 2021.

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.

