


1. Product description

The kind nails used in nail guns are called collated nails. Plastic collated nails are nails that are arranged in a strip and connected with the help of plastic.

2. Normative references


- ASTM F1667 Driven Fasteners: Nails, Spikes, and Staples
- ASTM F1575 Determining Bending Yield Moment of Nails

3. Products




Type Of Collation	Nominal Diameter	Length	Head Style	Shank Type	Finish/Coating
Plastic Strip 21 Degree	0,113" (2,87 mm)	2-1/4" (57 mm) to 2-1/2" (64 mm)	Full Round	Smooth Ring	Bright & E.G
	0,12" (3,05 mm)	2" (50 mm) to 4" (100 mm)	Full Round	Smooth Ring	Bright & E.G
	0,131" (3,33 mm)	2" (50 mm) to 4" (100 mm)	Full Round	Smooth Ring	Bright & E.G

4. Point Types



5. Shank Types



6. Inspection Document

Quality definitions are defined in the document named KEK.02 QUALITY SYSTEM DOCUMENTATION FOR NAIL PRODUCTION FACILITY.

Doc. no	PR.27.TDS.15
Rev. no	01
Rev. date	18.11.2021
Publishing date	09.11.2021

FITS MOST 20° - 22° FRAMING NAILERS

B&C EAGLE	GRIP-RITE	DEWALT	MILWAUKEE
SN2283/SN2290	GRTRH 350	D51844/D51845/51850	7200-20
		DWF83PL	
BESCO	HILTI		PASLODE
RHF 10021/RHF 9021/	RHN 90-20	DUO-FAST	5325 SRH
RHF 9021P		CN137/CN350/CN350B/SNP83	5350 SRN-20
	HITACHI		
BOSCH	NR83A/NR835A/NR83A2/	FASCO	PORTER CABLE
SN350-20F	NR83A2S/NR83A2Y/	F6C-RHN-20-100/	FR350/F350A/F350 MAG
	NR90AE/NR90AER/	R5C-RHN-20-90SS-CT/20-90	
BOSTITCH	NR90 GR2/NR90AC/		RIGID
N79RHN/N8RHN/N90RHN/	NR90AC2/NR90AC3/	MAKITA	R350 RHA
N95PH/F21PL/F21PL2/	NR90GR/NR83A5/	AN8300	
LPF21PL/F21PL2	NR83A5(S)/NR90GR2/	AN922/AN923	SENCO FRAME PRO
	NR90AE(S1)/NR189DR		325FRHXP
CAMPBELL		MAX	700XL/702/752XP
NS2090		SN80/SN90	602/652XP
		GS683RH/GS683RX EX	
CRAFTMAN		SN883RH/SN883RH2/	SENCO
18178/18436/19034		SN883RH3/SN 890 RH	SN60/SN65
			GT90 FRH